Temperature & Humidity Meter



FEATURES

- External temperature probe with cable.
- Message/APP alarm for high/low temp/Humidity.
- Micro USB power.
- Beeper and LED light indication.
- High/Low temperature alarm
- Data upload period can be setting
- App software, monitor/download/prin gting recorded data

RS PRO Temperature & Humidity Meter

RS Stock No.: 2369191



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Temperature & Humidity Meter



Product Description

The 270KT Food safety type-k thermometer in the food sector, cooling chain compliance has to be checked and verified. The ambient conditions may also have an influence on product quality. This makes continuous monitoring of temperature and relative humidity in the warehouse essential.

General Specifications

Model Number	2369191
Bluetooth standard	WIFI
Transmission power	
Radio range	
Operating temperature	0 to 50° C
Storage temperature	-40 to 70° C
Device switch-off	Long press for 3 seconds to turn on or off
Temperature range	-40 to 70° C (Type K -50 to 350° C)
Temperature accuracy	±1° C
Temperature resolution	±0.1° C
Humidity range	0 to 100%RH
Humidity accuracy	±3%RH
Humidity resolution	0.1%RH

Mechanical Specifications

Dimensions 68mm X 108mm X 35mm				
68mm				
108mm				
35mm				
172g				

Electrical Specifications

Battery Type 1.5V AA

Temperature & Humidity Meter



IP IP54				
Additional Information				
EAN				
Custom Tariff Number	9025800000			
Classification				
eCI@ss (Version)				
UNSPSC (Version)				
Approvals				
Declarations				
Hazardous Area Certification				
Standards Met				

Similar Products

Stock No.	Brand	Product Name	Attribute 1	Attribute 2	Attribute 3
XXX-XXXX	RSPRO				
XXX-XXXX	RSPRO				

Connection Diagrams / Assembly Diagrams / Illustrations / Accessories