


## FEATURES

- All round general purpose cable, both waterproof and very flexible
- Thermocouple terminating with a standard plug & socket
- JIS Type K thermocouple
- Japanese Industrial Standards (JIS) are the standards used for industrial activities in Japan

# JIS PVC INSULATED FLAT PAIR THERMOCOUPLE CABLE WITH STANDARD THERMOCOUPLE PLUG & SOCKET 2m

RS Stock No.: 2394563



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

- *Ideal for general purpose use*
- *All contacts are polarised to ensure correct connection*
- *Colour coded in accordance with JIS specification*

## General Specifications

|                                      |   |
|--------------------------------------|---|
| <b>Thermocouple Type</b>             | Type K  |
| <b>Temperature Measurement Range</b> | Cable: -10°C to 105°C<br>Connectors: +200°C                               |
| <b>Construction</b>                  | PVC Insulated Thermocouple Cable with Standard Thermocouple Plug & Socket |
| <b>Standards Met</b>                 | JIS (Japanese Industrial Standards)                                       |

## Mechanical Specifications

|                                  |                                 |
|----------------------------------|---------------------------------|
| <b>Termination Type</b>          | Standard plug & socket          |
| <b>Compensating Cable Length</b> | 2m                              |
| <b>Cable Insulation</b>          | PVC insulated flat pair 7/0.2mm |

## Approvals

|                                  |                |
|----------------------------------|----------------|
| <b>Compliance/Certifications</b> | RoHS Compliant |
|----------------------------------|----------------|

## Similar Products Range

|   | 1m      | 2m      | 3m      | 5m      | 10m     |
|---|---------|---------|---------|---------|---------|
| <b>Miniature Plug / socket<br/>Termination Type<br/>K</b> | 2394556 | 2394557 | 2394555 | 2394558 | 2394554 |
| <b>Standard Plug / socket<br/>Termination Type<br/>K</b>  | 2394562 | 2394563 | 2394561 | 2394564 | 2394560 |

RS Components is a leading provider for Automation and Control Gear, below is a selection of best selling products:

|  |  |  |
|--|--|--|
| <p style="text-align: center;"><b>rspro.com</b></p> <p style="text-align: center;"><b>Temperature.<br/>It matters</b></p>  | <p style="text-align: center;"><b>Calibration</b></p> <p>Whether it's existing equipment or a new purchase, you need to have confidence in the accuracy of your measurements.</p> <p>That's where our calibration service can help.</p> <p>Purchase new products with confidence.</p> <p>A certificated calibrated sensor straight out of the box, ready to use.</p> | <p style="text-align: center;"><b>Best Sellers</b> </p> <p><b>ANSI SYSCAL Type K Mineral Insulated Thermocouple</b><br/>RS 181-7296</p> <p><b>IEC SYSCAL Type K Mineral Insulated Thermocouple</b><br/>RS 181-7288</p> <p><b>IEC SYSCAL Type J Mineral Insulated Thermocouple</b><br/>RS 181-7305</p>  |
| <p style="text-align: center;"><b>Exposed Junction Thermocouples</b></p> <p>Including exposed junctions with fitted or moulded miniature plug and insulated leads, ideal for test and development applications.<br/>1, 2, 3, 5 &amp; 10m lengths available in IEC or ANSI colours.</p> | <p style="text-align: center;"><b>RTD Detectors</b></p> <p>Wire-wound type provides greater accuracy and stability but are vulnerable to shock.</p> <p>Flat film type are resistant to shock and have quicker thermal response times.</p> <p>Various lengths and diameters available, in class A, B and 1/10th Din.</p>  | <p style="text-align: center;"><b>Best Sellers</b> </p> <p><b>PT1000 Thin Film Detector</b><br/>RS 362-9907<br/>Allied 70643582</p> <p><b>PT100 Wire Wound Detector</b><br/>RS 611-7839<br/>Allied 70646151</p> <p><b>PT100 Wire Wound Detector</b><br/>RS 362-9799<br/>Allied 70643577</p>  |
| <p style="text-align: center;"><b>Thermocouple &amp; PRT Cable</b></p> <p>Thermocouple cables are available in IEC or ANSI colour codes. Insulation types include PFA, PTFE, PVC &amp; Fibreglass. Available spool lengths include 10, 25, 50, 100 and 200m.</p>                       | <p style="text-align: center;"><b>Best Sellers</b> </p> <p><b>IEC PVC Insulated Flat Pair</b><br/>RS 219-4573<br/>Allied 70641630</p> <p><b>ANSI PFA Insulated Twin Twisted</b><br/>RS 814-0030<br/>Allied 70656106</p> <p><b>IEC Glassfibre Insulated Flat Pair</b><br/>RS 236-3836<br/>Allied 70641730</p>   | <p style="text-align: center;"><b>Best Sellers</b> </p> <p style="text-align: center;"><b>Fabricated and Specialist Thermocouples</b></p> <p>Styles include; Magnet, Washer, Nozzle, Leaf, Bayonet &amp; Bolt thermocouple. Various lengths and calibration types available.</p> <p><b>Magnet Thermocouple</b><br/>RS 762-1115<br/>Allied 70651739</p> <p><b>Heavy Duty Thermocouple</b><br/>RS 762-1128<br/>Allied 70651743</p> <p><b>Rubber Patch Thermocouple</b><br/>RS 290-5036<br/>Allied 70642886</p> |
|  | <p style="text-align: center;"><b>Best Sellers</b> </p> <p style="text-align: center;"><b>Thermocouple Connectors</b></p> <p>Range of miniature or standard thermocouple connectors. Available in thermocouple types K, J, T, E, N, RS, B, and copper. IEC, ANSI &amp; JIS colour codes available.</p>   | <p style="text-align: center;"><b>Best Sellers</b> </p> <p><b>IEC Thermocouple Plug</b><br/>RS 455-9764<br/>Allied 70644391</p> <p><b>ANSI Thermocouple Socket</b><br/>RS 769-1127<br/>Allied 70652125</p> <p><b>IEC Thermocouple PCB Socket</b><br/>RS 381-7570<br/>Allied 70643749</p>   |

RS Components is a leading provider for Automation and Control Gear, below is a selection of best selling products:

|   |   |  |  |
|---|---|--|--|
|  <p><b>Mineral Insulated Thermocouples</b></p> <p>Available in various calibration types with a variety of terminations. These include; Thermocouple plugs, Terminal heads and Thermocouple cable</p>  | <p><b>Best Sellers</b> </p> <p><b>IEC Thermocouple with PTFE Cable</b><br/>RS 397-1236<br/>Allied 70643843</p> <p><b>IEC Thermocouple with Mini Plug</b><br/>RS 397-1488<br/>Allied 70643863</p> <p><b>ANSI Thermocouple with PFA Cable</b><br/>RS 847-1019<br/>Allied 70658112</p> |  <p><b>NEW PRODUCTS</b></p> <p>RS PRO, the own brand of RS Components, offers an unbeatable range of products across all industries with quality you can trust.</p> <p>New products are constantly added to improve the offering of our product range.</p> | <p><b>NEW PRODUCTS</b> </p> <p><b>Brake Pad Temp Sensor</b><br/>RS 200-0601<br/>Allied 72173869</p> <p><b>RTD Temp Sensor Hirschmann Style</b><br/>RS 200-0594<br/>Allied 72173862</p> <p><b>Washer Thermocouple</b><br/>RS 200-0616<br/>Allied 72173882</p> |
|  <p><b>Sensors with Industrial Terminal Heads</b></p> <p>Industrial sensors housed in a stainless steel sheath and terminal head protection to IP67. Available as a thermocouple or Pt100.</p>  | <p><b>Best Sellers</b> </p> <p><b>Type K 300mm Long</b><br/>RS 787-7829<br/>Allied 70653306</p> <p><b>Type K 200mm Long</b><br/>RS 787-7816<br/>Allied 70653303</p> <p><b>Type K 100mm Long</b><br/>RS 787-7804<br/>Allied 70653235</p>   | <p><a href="http://www.rspro.com">www.rspro.com</a></p>  <p><a href="http://www.alliedelec.com">www.alliedelec.com</a></p>  |  |
|  <p><b>L60 Fine Wire Thermocouple Welder</b></p> <p>The Thermocouple Welder is a compact, simple-to-use instrument designed for thermocouple and fine wire welding. Supplied with foot switch, spare electrodes, pliers &amp; safety glasses, impact clip and pen plate.</p> | <p><b>Best Sellers</b> </p> <p><b>L60 Fine Wire Thermocouple Welder</b><br/>RS 363-0351<br/>Allied 70825788</p>    |  |  |