


## FEATURES

- Fast response, welded exposed junction
- Miniature plug termination
- JIS Thermocouple
- Japanese Industrial Standards (JIS) are the standards used for industrial activities in Japan

# JIS TYPE K EXPOSED WELDED TIP THERMOCOUPLES 7/0.2mm PFA TWIN TWISTED CABLE WITH MINIATURE PLUG 10m

RS Stock No.: 2394548



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

- *Welded, exposed junction for fast response times*
- *Durable construction with PFA insulation for resistance to oils, acid, fluids and good mechanical strength and flexibility*

## General Specifications

|                                      |  |
|--------------------------------------|--|
| <b>Thermocouple Type</b>             | Type K   |
| <b>Temperature Measurement Range</b> | -75°C to +250°C  |
| <b>Construction</b>                  | Fast response, welded exposed junction   |
| <b>Measuring Junction</b>            | Exposed  |
| <b>Standards Met</b>                 | JIS (Japanese Industrial Standards)  |
| <b>Application</b>                   | Durable construction with PFA insulation for resistance to oils, acid, fluids and good mechanical strength and flexibility |

## Mechanical Specifications

|                         |                |
|-------------------------|----------------|
| <b>Termination Type</b> | Miniature Plug |
| <b>Cable Length</b>     | 10m            |
| <b>Cable Insulation</b> | PFA 7/0.2mm    |















## Approvals

|                                  |                |
|----------------------------------|----------------|
| <b>Compliance/Certifications</b> | RoHS Compliant |
|----------------------------------|----------------|

## Similar Products Range

| Thermocouple | Conductors | 1m      | 2m      | 3m      | 5m      | 10m     |
|--------------|------------|---------|---------|---------|---------|---------|
| K            | 1/0.2MM    | 2394525 | 2394527 | 2394529 | 2394530 | 2394532 |
| K            | 1/0.3MM    | 2394534 | 2394535 | 2394539 | 2394536 | 2394538 |
| K            | 7/0.2MM    | 2394545 | 2394546 | 2394549 | 2394547 | 2394548 |

RS Components is a leading provider for Automation and Control Gear, below is a selection of best selling products:

|   |   |  |
|---|---|--|
| <p style="text-align: center;"><b>rspro.com</b></p>  <p style="text-align: center;"><b>Temperature.<br/>It matters</b></p>  | <p style="text-align: center;"><b>Calibration</b></p> <p>Whether it's existing equipment or a new purchase, you need to have confidence in the accuracy of your measurements.</p> <p>That's where our calibration service can help.</p> <p>Purchase new products with confidence.</p> <p>A certificated calibrated sensor straight out of the box, ready to use.</p>  <p style="text-align: center;"><b>RTD Detectors</b></p> <p>Wire-wound type provides greater accuracy and stability but are vulnerable to shock.</p> <p>Flat film type are resistant to shock and have quicker thermal response times.</p> <p>Various lengths and diameters available, in class A, B and 1/10th Din.</p> | <p style="text-align: center;"><b>Best Sellers</b> </p>  <p><b>ANSI SYSCAL Type K Mineral Insulated Thermocouple</b><br/>RS 181-7296</p>  <p><b>IEC SYSCAL Type K Mineral Insulated Thermocouple</b><br/>RS 181-7288</p>  <p><b>IEC SYSCAL Type J Mineral Insulated Thermocouple</b><br/>RS 181-7305</p>  |
|  <p style="text-align: center;"><b>Exposed Junction Thermocouples</b></p> <p>Including exposed junctions with fitted or moulded miniature plug and insulated leads, ideal for test and development applications.</p> <p>1, 2, 3, 5 &amp; 10m lengths available in IEC or ANSI colours.</p> | <p style="text-align: center;"><b>Best Sellers</b> </p>  <p><b>ANSI Type K Exposed Junction</b><br/>RS 814-0134<br/>Allied 70656459</p>  <p><b>ANSI Type K High Temp Exposed Junction</b><br/>RS 131-4749<br/>Allied 71080908</p>  <p><b>IEC Type K Exposed Junction</b><br/>RS 363-0250<br/>Allied 70643600</p>   | <p style="text-align: center;"><b>Best Sellers</b> </p>  <p style="text-align: center;"><b>Fabricated and Specialist Thermocouples</b></p> <p>Styles include; Magnet, Washer, Nozzle, Leaf, Bayonet &amp; Bolt thermocouple. Various lengths and calibration types available.</p>  <p><b>Magnet Thermocouple</b><br/>RS 762-1115<br/>Allied 70651739</p>  <p><b>Heavy Duty Thermocouple</b><br/>RS 762-1128<br/>Allied 70651743</p>  <p><b>Rubber Patch Thermocouple</b><br/>RS 290-5036<br/>Allied 70642886</p>                            |
|  <p style="text-align: center;"><b>Thermocouple &amp; PRT Cable</b></p> <p>Thermocouple cables are available in IEC or ANSI colour codes. Insulation types include PFA, PTFE, PVC &amp; Fibreglass. Available spool lengths include 10, 25, 50, 100 and 200m.</p>                          | <p style="text-align: center;"><b>Best Sellers</b> </p>  <p><b>IEC PVC Insulated Flat Pair</b><br/>RS 219-4573<br/>Allied 70641630</p>  <p><b>ANSI PFA Insulated Twin Twisted</b><br/>RS 814-0030<br/>Allied 70656106</p>  <p><b>IEC Glassfibre Insulated Flat Pair</b><br/>RS 236-3836<br/>Allied 70641730</p>  | <p style="text-align: center;"><b>Best Sellers</b> </p>  <p style="text-align: center;"><b>Thermocouple Connectors</b></p> <p>Range of miniature or standard thermocouple connectors. Available in thermocouple types K, J, T, E, N, RS, B, and copper. IEC, ANSI &amp; JIS colour codes available.</p>  <p><b>IEC Thermocouple Plug</b><br/>RS 455-9764<br/>Allied 70644391</p>  <p><b>ANSI Thermocouple Socket</b><br/>RS 769-1127<br/>Allied 70652125</p>  <p><b>IEC Thermocouple PCB Socket</b><br/>RS 381-7570<br/>Allied 70643749</p> |

RS Components is a leading provider for Automation and Control Gear, below is a selection of best selling products:

|   |   |  |  |
|---|---|--|--|
|  <p><b>Mineral Insulated Thermocouples</b></p> <p>Available in various calibration types with a variety of terminations. These include; Thermocouple plugs, Terminal heads and Thermocouple cable</p>  | <p><b>Best Sellers</b> </p> <p><b>IEC Thermocouple with PTFE Cable</b><br/>RS 397-1236<br/>Allied 70643843</p> <p><b>IEC Thermocouple with Mini Plug</b><br/>RS 397-1488<br/>Allied 70643863</p> <p><b>ANSI Thermocouple with PFA Cable</b><br/>RS 847-1019<br/>Allied 70658112</p> |  <p><b>NEW PRODUCTS</b></p> <p>RS PRO, the own brand of RS Components, offers an unbeatable range of products across all industries with quality you can trust.</p> <p>New products are constantly added to improve the offering of our product range.</p> | <p><b>NEW PRODUCTS</b> </p> <p><b>Brake Pad Temp Sensor</b><br/>RS 200-0601<br/>Allied 72173869</p> <p><b>RTD Temp Sensor Hirschmann Style</b><br/>RS 200-0594<br/>Allied 72173862</p> <p><b>Washer Thermocouple</b><br/>RS 200-0616<br/>Allied 72173882</p> |
|  <p><b>Sensors with Industrial Terminal Heads</b></p> <p>Industrial sensors housed in a stainless steel sheath and terminal head protection to IP67. Available as a thermocouple or Pt100.</p>  | <p><b>Best Sellers</b> </p> <p><b>Type K 300mm Long</b><br/>RS 787-7829<br/>Allied 70653306</p> <p><b>Type K 200mm Long</b><br/>RS 787-7816<br/>Allied 70653303</p> <p><b>Type K 100mm Long</b><br/>RS 787-7804<br/>Allied 70653235</p>   | <p><a href="http://www.rspro.com">www.rspro.com</a></p>  <p><a href="http://www.alliedelec.com">www.alliedelec.com</a></p>  |  |
|  <p><b>L60 Fine Wire Thermocouple Welder</b></p> <p>The Thermocouple Welder is a compact, simple-to-use instrument designed for thermocouple and fine wire welding. Supplied with foot switch, spare electrodes, pliers &amp; safety glasses, impact clip and pen plate.</p> | <p><b>Best Sellers</b> </p> <p><b>L60 Fine Wire Thermocouple Welder</b><br/>RS 363-0351<br/>Allied 70825788</p>    |  |  |