

## FEATURES

- EMC approved (ECE R10)
- Sealed for life against dust and moisture ingress
- Meets IP67 protection standards
- • -30 to +50° ( extreme temperature
- Low power consumption
- Providing excellent all-round visibility

## RS PRO Red LED Beacon, 110 → 230 V ac, Flashing, Screw Mount

RS Stock No.: 907-5999



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

### Product Description

These Low Profile LED Beacons from our own RS PRO brand is ideal for off-road use and is also suitable for a variety of vehicles and industrial applications. The use of LED technology offers substantial maintenance savings by avoiding the need for regular lamp replacement which could be tricky on higher vehicles

### General Specifications

<b>Bulb Type</b>	LED
<b>Light Effect</b>	Flashing
<b>Lens Colour</b>	Red
<b>Flash Pattern</b>	Static , Single, Double ,Quad
<b>Housing Colour</b>	Black
<b>Lamp Include</b>	Yes
<b>Multifunction</b>	Yes
<b>Number of flash patterns</b>	4
<b>Number of LED</b>	4
<b>Special Features</b>	Fully Encapsulated Electronics, Low Power Consumption

### Electrical Specifications

<b>Supply Voltage</b>	110VDC to 230 VDC
<b>Current Type</b>	DC

### Mechanical Specifications

<b>Base Diameter</b>	77mm
<b>Mounting Style</b>	Screw Mount

**Operation Environment Specifications**


<b>Maximum Temperature</b>	-30°C
<b>Minimum Temperature</b>	+50°C

**Protection Category**

<b>IP Rating</b>	IP 67
------------------	-------

**Approvals**

<b>Standards Met</b>	EMC (ECE R10), RoHS Compliant
----------------------	-------------------------------




**10-100Vdc**

- AMBER** RS 907-5961
- RED** RS 907-5965
- GREEN** RS 907-5974

**110-230Vac**

- AMBER** RS 907-5977
- RED** RS 907-5971



**10-100Vdc**

- AMBER** RS 907-5980
- RED** RS 907-5983
- GREEN** RS 907-5987

**110-230Vac**

- AMBER** RS 907-5996
- RED** RS 907-5999



