

T 17/1

Powerful dry vacuum cleaner with large container capacity for extra long working intervals.









1 Main filter basket

Large permanent main filter ensures optimal dust separation. For use with or without filter bag.

3 On-board cord storage

The 12 m power cord can be wound fully around the cord storage built into the turbine head.

2 Foot switch for added convenience


No need to bend down.

4 Power outlet for ESB 28 electric brush

■ With the ESB 28 electrical suction brush, the suction power can be adjusted continuously with just one turn to suit the particular floor covering. This does not increase the noise level.

TECHNICAL DATA AND EQUIPMENT





T 17/1

- Reduced power consumption
- Power outlet for ESB 28 electric brush
 Foot switch for added convenience

Technical data		
Order no.		1.355-131.0
EAN code		4039784723412
Air flow rate	I/s	61
Vacuum	mbar / kPa	244 / 24.4
Container capacity	1	17
Max. rated input power	W	1300
Standard nominal width		32
Cable length	m	12
Sound pressure level	dB(A)	65
Sound power level	dB(A)	77
Weight	kg	7
Dimensions (L × W × H)	mm	440 × 315 × 420
Energy efficiency class (out of A+++ to D)		E

Equipment		
Suction hose	m	2.5
Suction tube, metal 2 x 0.5 m		
Filter bag		fleece
Switchable floor nozzle	mm	285
Container material		plastic

■ Included in the scope of supply.

ACCESSORIES FOR T 17/1 1.355-131.0































						1	1		_
		Order no.	Quantity	ID	Length	Width	Price	Description	
Exhaust air filter									
Standard exhaust filter	1	6.414-802.0	3 piece(s)					Standard exhaust filter and diffusor for reducing filtered air Made of foam.	
Motor protection filter	2	6.414-611.0	5 piece(s)					Motor protection filter, removable fleece, which can be replaced when heavily soiled.	•
Main filter baskets			,	•					
Permanent main filter basket	3	5.731-640.0	1 piece(s)					Main filter basket for T 15/1, T 12/1 and T 17/1 can be used as a main filter with or without filter bag. Nylon-plastic frame, washable up to 40°C.	d •
	4	4.731-011.0	1 piece(s)					Plastic frames with reinforced fleece material, washably to 40°C.	
Fleece filter bags (three-ply)		<u>'</u>	<u>'</u>			'			
Fleece filter bags	5	6.907-017.0	10 piece(s)					Extremely tear-resistant, 3-ply fleece filter bags, dust class M. Fleece filter bags have 2 to 3 times the capacity of conventional paper filter bags. Standard for T 15/1 and T 17/1.	
Fleece filter bags, bulk value pack	6	6.907-018.0	200 piece(s)					Tear-resistant, 3-ply, dust M class, bulk user pack.	
Bend, plastic									
Bend, plastic	7	4.408-051.0	1 piece(s)	ID 32				Plastic with C-32 clip system.	
Comfort bend, plastic, C 32 clip system	8	4.440-865.0	1 piece(s)	ID 32				Plastic bend (DN 32) with C-32 clip system with opening for adjusting the floor tool for high-pile or extremely dense textile coverings.	r
Combi-nozzles, dry								texture coverings.	
Combi-nozzle	9	6.907-410.0	1 piece(s)	ID 32		270 mm		Plastic, ID 32, switchable.	
Combination floor tool for parquet	10	6.906-107.0	1 piece(s)	ID 32		360 mm		Plastic combination floor tool for parquet (DN 32) with brush strips and two rollers, suitable for all industrial T vacuum cleaners. Combination floor tool without changeo- ver function. 360 mm	
Combi-nozzle for parquet	11	6.907-486.0	1 piece(s)	ID 32		300 mm		Plastic with DN ID connection.	
Parquet nozzle packaged D360 DN32	12	6.905-078.0							
Parquet nozzle DN 32 (RAL 7012)	13	6.906-064.0							
Combi-nozzle	14	6.907-468.0	1 piece(s)	ID 32		290 mm		Plastic, ID 32, switchable.	
	15	6.907-467.0	1 piece(s)	ID 32		270 mm		Plastic, reversible.	
Suction tubes, metal Suction tube	16	6.906-618.0	1 piece(s)	ID 32	0.5 m			Metal suction tube (DN 32, length 0.5 m) with black plastic	
Telescopic suction tube	17	6.903-524.0	1 piece(s)	ID 32				coating, suitable as an extension, e.g. vacuuming ceilings. Chromium-plated metal telescopic tube (DN 32, length:	
Suction tube	18	6.903-850.0	1 piece(s)	ID 32	0.5 m			0.61-1 m), suitable as an extension, e.g. vacuuming ceilings. Metal	
Complete suction hoses (clip system	_	1 2.300 000.0	_ p.eee(s)	1.5 52	0.5				_
Suction hose with bend, antistatic	19	4.440-907.0	1 piece(s)	ID 32	2.5 m			Improved quality: 2.5 m suction hose with dry vacuum cleaner connection, clip connection and bend (C-DN 32).	ŀ
Suction hose, complete	20	4.440-982.0	1 piece(s)	ID 32	2.5 m			With dry vacuum cleaner and clip connection, and bend, C DN 32, electrically conductive.	
Nozzle kits		1	1					511 52, electrically conductive.	
Nozzle kit	21	2.860-143.0	4 piece(s)	ID 32				Nozzle kit (DN 32) for all industrial dry vacuum cleaners, includes crevice tool, upholstery tool, round brush and clip holder.	
		I.		1				I company to	

[■] Included in the scope of supply.

Available accessories.

ACCESSORIES FOR T 17/1 1.355-131.0































	Order no.	Quantity	ID	Length	Width	Price	Description
22	6.414-801.0	1 piece(s)					HEPA filter cassette (paper/plastic) - H 12 - increases filter capacity and improves exhaust air. Optional (with Professional version as standard) filter instead of exhaust filter cassette.
		1					cussette.
23	6.907-016.0	200 piece(s)					Bulk user pack of 200 pc. , BIA-C, dust class M approved
24	6.907-019.0	10 piece(s)					10 paper filter bags (BIA-C dust class M) as optional accessories for use in all industrial dry vacuum cleaners (e.g. T 15/1 and T 17/1).
25	6.904-316.0	1 piece(s)					Cotton filter bags, washable up to 40°C, suitable for T7/1, T 10/1 and T 12/1 models.
26	1 100 0E2 0	1 pioce(s)	l ID 22				Electrically conductive plactic head (DN 22) with C 22 dia
26	4.408-052.0	1 piece(s)	ID 32				Electrically conductive plastic bend (DN 32) with C-32 clip system, reduces static buildup. Optional for BV 111, T 7/1, T 191, T 10/1, T 12/1, T 201/T201 + ESB 28.
			1				
27	6.906-122.0	1 piece(s)	ID 32	120 mm			All-purpose plastic brush Bristles: 120 x 45 mm. For all T and BV types.
28	2.642-442.0	1 piece(s)	ID 32		340 mm		ESB 34 with suction hose with integrated electric cabel and telescopic suction tube.
29	2.641-815.0	1 piece(s)	ID 32		280 mm		Electric brush with suction hose, power cord and telescopic suction tube. For better dirt pick up from textiles. Also suitable for flexible and hard surfaces. For T 201 and T 12/1.
							12/1.
30	6.903-403.0	1 piece(s)	ID 32	210 mm			Plastic crevice tool (DN 32) for industrial dry vacuum cleaners for vacuuming in crevices and corners.
		1 piece(s)	ID 35				Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.
32	6.903-404.0	1 piece(s)	ID 32				Radiator brush is suitable for crevice tool 6.903-403.0
33	6.903-402.0	1 piece(s)	ID 32		120 mm		Plastic upholstery tool (DN 32) with thread catcher, standard for T 201, T 201 + ESB 28. Optional for T 7/1, T 191, T 10/1.
		•	<u>'</u>				
34	6.903-887.0	1 piece(s)	ID 32		70 mm		Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners.
		1					
35		1 piece(s)					Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.
36	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.
37	2.639-739.0	1 piece(s)	ID 32				Repair set (C32) includes threaded hose adapters for industrial T vacuum cleaners with clip system.
38	4.440-911.0	1 piece(s)	ID 32	2.5 m			2.5 m suction hose with dry vacuum cleaner connection, clip
	23 24 25 26 27 28 29 30 31 32 33 34 35 36 37	22 6.414-801.0 23 6.907-016.0 24 6.907-019.0 25 6.904-316.0 26 4.408-052.0 27 6.906-122.0 28 2.642-442.0 29 2.641-815.0 30 6.903-403.0 31 6.903-404.0 32 6.903-404.0 33 6.903-404.0 34 6.903-887.0 35 2.860-113.0 36 2.860-114.0	22 6.414-801.0 1 piece(s)				

[■] Included in the scope of supply.

Available accessories.

ACCESSORIES FOR T 17/1 1.355-131.0













									_
									ı
									İ
									ı
		Order no.	Quantity	ID	Length	Width	Price	Description	
Connecting sleeves			•	'					
Adapter, ID 32/35, with internal thread	39	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	
Extension hoses (clip system)									
Extension hose	40	6.906-237.0	1 piece(s)	ID 32	2.5 m			Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.	
Extension hose, electrically conductive	41	6.906-277.0	1 piece(s)	ID 32	2.5 m			for all C-32 and C-35 hoses, electrically conductive.	
Expansion pieces (tube -> nozzle)									
Adapter	42	6.902-083.0	1 piece(s)	ID 32				From DN 32 to DN 35: Plastic adapter (electrically non-conductive). Suitable for BV and T vacuum cleaners.	
Reducers (tube -> nozzle)									
Reducer from ID 35 to ID 32	43	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	
Reduction/expansion adapter kit									
Set of reducers / adapter sleeves	44	2.860-117.0	1 piece(s)					DN 40/35, DN 35/32 (tube -> nozzle), plastic.	
Floor nozzles									
Multi-purpose nozzle	45	6.906-089.0							

[■] Included in the scope of supply.

Available accessories.