

## **FEATURES**

- Operating temperature range is from - 60 °C to + 300 °C
- RoHS and REACH compliant
- Silicon free

# RS PRO STRAIGHT CONNECTOR COMPRESSION

RS Stock No.: 2312580



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

# **Brass & Bronze Threaded Fittings**



#### **Product Description**

The RS PRO straight connector compression is made up of brass.

The working pressures and working temperatures depend on which type of tube is used, for this reason, the values must be determined in accordance with the tube's features.

Hereunder, we specify the values of the maximum pressure advised for the fittings at a temperature of 20° C connected with copper tube, which has a thickness of 1 mm.

Here the tube size is 6 and corresponding maximum pressure advised is 148.4 bar.

#### **General Specifications**

Fitting Type	Connector	
Material	Brass	
Fitting Direction	Straight	
Application	Compressed Air, Pneumatic Automation, Industrial water circuits, Inert Gases, Fluids, Steam Vacuum	

#### **Mechanical Specifications**

Pipe Fitting Connection Type	Threaded		
Connection 1	M14 Metric Female		
Connection Gender 1	Female		
Thread Size 1	M14		
Thread Standard 1	Metric		
Connection 2	M14 Metric Female		
Connection Gender 2	Female		
Thread Size 2	M14		
Thread Standard 2	Metric		
Length	36mm		
Wrench Size	11mm		



# **Operation Environment Specifications**


Temperature	Min.	Max.
	- 60 °C	+ 300 °C

## **Approvals**

Approvals	RoHS and REACH compliant
-----------	--------------------------

## **Similar Products**

Parameters	2312579	2312581
Brand	RS PRO	RS PRO
Pipe Fitting Connection Type	Threaded	Threaded
Connection 1	M14 Metric Female	M14 Metric Female
Connection Gender 1	Female	Female
Thread Size 1	M14	M14
Thread Standard 1	Metric	Metric
Connection 2	M14 Metric Female	M14 Metric Female
Connection Gender 2	Female	Female
Thread Size 2	M14	M14
Thread Standard 2	Metric	Metric
Length	33mm	40mm
Wrench Size	10mm	13mm





Tube	L	СН	Pack.
6	36	11	10