

Eaton 170M1365

Catalog Number: 170M1365

Eaton Bussmann series high speed square body fuse, 700V (UL), 690V (IEC), 63A, 200 kAIC, Top fuse status indicator, Fuse, Blade end X blade end, Class gR, DIN 43 620

General specifications



Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M1365
	UPC
	051712216661
EAN	Product Length/Depth
5027590440820	105 mm
Product Height	Product Width
46 mm	300 mm
Product Weight	Warranty
129.9 g	Not Applicable
Compliances	Certifications
CE Marked	IEC Rated
RoHS Compliant	UL Recognized

Product specifications

Interrupt rating

200 kAIC

Center-to-center distance of connections

76.7 mm

Insulated metal gripping lugs (IMGL)

No

Current type

AC

Amperage Rating

63 A

Fuse type

DIN 43653

/80 Visual indicator

Bolted tag

Fuse system (according to IEC 60269)

Other

Fuse size

000

Voltage rating

690 V (IEC), 700 V (UL)

Fuse indicator

Top fuse status indicator

Construction size

000

Clearing (I2T)

1450 at 660 V

Rated voltage AC

690 V

Color

None

Connection

Blade end x blade end

Mounting dimension

M8

Utilization category

gR (general purpose semiconductor protection)

Resources

Catalogs

170M1365–Eaton Bussmann series high speed square body fuse

Bussmann series complete full line catalog no. 1007

Compliance information

CE 170M size 000 10A to 315A

UKCA 170M size 000 10A to 315A

Drawings

1400DIM-15

Watt losses

16 W

Type

Fuse

Fuse shape

Square body, slotted offset bolted tags

Breaking capacity

200 kA

Class

Class gR

Pre arc (I2T)

215

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Voltage type

AC

Packaging type

Standard



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)