Features

- USB 2.0
- Type A to Type B
- Male to Male
- 480Mbps
- Black

RS PRO 80CM USB 2.0 A – B Cable White – 10 Pack

RS Stock No: 266-8453

RS Professionally Approved Products bring to you, professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

The RS PRO USB version 2.0 A male to B male cable has a white PVC jacket. The cable flex has copper wire conductors and drain wire, with an aluminium braid, foil shielding and has an outer diameter of 4.5mm.

The connectors and pins are made from nickel and also have PVC hoods.

USB A male to B male cables are used to connect a device such as printers, scanners and some external hard drives to a computer.

General Specifications

USB Type	USB 2.0
Connector A	Male USB A
Connector A Type	USB 2.0
Connector A Gender	Male
Connector B	Male USB B
Connector B Type	USB 2.0
Connector B Gender	Male
Connector Style	Straight
Data Transfer Rate	480Mbps
Outer Sheath Material	PVC
Sheath Colour	White
Connector Plating	Nickel
Pin Construction	Copper

Approvals

Standards Met	CE UKCA ROHS REACH

Similar Products

Stock No.	Length	Spec	Pack Size	Colour
266-8453	80cm	USB2.0 A-Male to B-Male Cable	10	White
182-8864	80cm	USB2.0 A-Male to B-Male Cable	1	White
252-7122	2m	USB2.0 A-Male to B-Male Cable	10	White
182-8866	2m	USB2.0 A-Male to B-Male Cable	1	White
251-3241	3m	USB2.0 A-Male to B-Male Cable	5	White
182-8867	3m	USB2.0 A-Male to B-Male Cable	1	White

USB A MALE
Nickel plated

USB B MALE
Nickel plated

Item Name		Description
CONDUCTOR A	Material	7/0.12mm BCX1P
CONDUCTOR B	Material	7/0.12mm BCX2C
INSULATOR	Material	PE+PVC
SHIELD	Material	AL/FOIL
BRAID	Material	64/0.12mm ALMG
Drain wire	Material	0.25mm Cu
OUTER	OD	4mm

SCALE 10:1

A-A

CONDUCTOR A

INSULATOR

CONDUCTOR B

SHIELD

BRAID

DRAIN WIRE

OUTER JACKET