

## FEATURES

- 1/4" mini jack
- 2 Pole jack plug for mono applications
- Nickel plated contact
- Moulded strain relief
- Easy to terminate

## RS PRO 6.35 mm Cable Mount Mono Jack Plug, 2Pole

RS Stock No.: 392-609



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

From RS PRO, this 2 pole mono jack plug offers an economic and reliable solution for audio applications. The phono connector is easy to terminate and has a plastic cap for insulation. It also features a moulded cable sleeve to protect against potential damage caused by tugging and pulling of the cable. The unique hexagonal shape of the jack connector casing means it is easier to grip, which is ideal for plugging and unplugging in difficult to access areas. This insulated jack plug has solder tab termination, and a nickel plated contact for a cost-effective audio connection solution.

[392-609](#) is an Insulated Commercial Grade Mono 1/4" Jack Plug

[392-637](#) is an Insulated Commercial Grade Mono 1/4" Jack Socket

[392-665](#) is an Insulated Commercial Grade Stereo 1/4" Jack Plug

[392-598](#) is an Insulated Commercial Grade Stereo 1/4" Jack Socket

[392-605](#) is a Screened Commercial Grade Mono 1/4" Jack Plug

## General Specifications

<b>Type</b>	Mono
<b>Gender</b>	Male
<b>Current Rating</b>	2A
<b>Mounting Type</b>	Cable Mount
<b>Contact Plating</b>	Nickel
<b>Colour</b>	Black
<b>Contact Material</b>	Brass
<b>No of Poles/Way</b>	2
<b>Application</b>	Used in both domestic and commercial sound systems, where a custom audio set-up is required. They are frequently used in electronic instruments.

**Mechanical Specifications**

<b>Size</b>	6.35 mm
<b>Body Orientation</b>	Straight
<b>Termination Method</b>	Solder
<b>Housing Material</b>	PE

**Approvals**

<b>Compliance/Certifications</b>	2011/65/EU and 2015/863
----------------------------------	-------------------------



## Dimensions

