

FEATURES

- Manufactured from black Nylon 6 filament
- Encased in an electro galvanised mild steel channel
- Instructions supplied with the product

RS PRO Aluminium, Nylon Black Brush Strip, 75mm x 13mm x 12mm

RS Stock No.: 326-9971



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

A range of RS PRO brush strips designed to seal the gap between the bottom of a door and the floor. Brush strips can be attached to the bottom of a door and act as a draught excluder to prevent draughts and keep in the heat. The brush also prevents dust and debris like leaves and litter from entering the threshold of a building or factory from outside. The strip can be cut to size to provide an accurate fit to any door.

Options available for RS PRO Aluminium Nylon Black Brush Strip:

- [326-9808](#) - 90 degree 19 mm x 6.7 mm x 6.7 mm
- [326-9842](#) - 90 degree 25 mm x 7.9 mm x 7.6 mm
- [326-9870](#) - 90 degree 32 mm x 7.9 mm x 7.6 mm
- [326-9886](#) - 45 degree 32 mm x 6.7 mm x 6.5 mm
- [326-9892](#) - 90 degree 45 mm x 7.9 mm x 7.6 mm
- [326-9915](#) - 90 degree 50 mm x 7.9 mm x 7.6 mm
- [326-9943](#) - 90 degree 60 mm x 13 mm x 12 mm
- [326-9959](#) - 45 degree 60 mm x 13.2 mm x 12 mm
- [326-9971](#) - 90 degree 75 mm x 13 mm x 12 mm
- [326-9993](#) - 90 degree 115 mm x 13 mm x 12 mm

General Specifications

Product Type	Strip Brush
Material	Aluminium, Nylon
Colour	Black
Applications	Bottom of revolving doors, Roller shutters, Loading bay doors, Gates and fences, Household doors, Garage doors, Sheds, Kennel doors

Mechanical Specifications

Dimensions	75mm x 12mm x 13mm
Length	75mm
Width	12mm
Height	13mm
Mounting angle	90°

Operation Environment Specifications

Operating Temperature Range	-50°C to 100°C
------------------------------------	----------------

