

Features

- CHASSIS XLR
- FEMALE
- PANEL
- MOUNT CONNECTOR
- SILVER FINISH 3
 PINS

RS PRO XLR SOCKET CONNECTOR

RS Stock No.: 457-879



RS PRO Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

XLR SOCKET CONNECTOR



Product Description

- The 3 pole female receptacle feature solder contacts, nickel housing, and silver-plated contacts.
- It's used for docking with four-core card ohms male head. It is suitable for mixers, amplifiers, audio equipment, etc.
- First choice for audio projects such as karaoke, concerts, and public broadcasting.

General Specifications

| STYLE | XLR SOCKET CONNECTOR | | |
|--------------|-----------------------|--|--|
| PIN | SILVER FINISHED 3 PIN | | |
| Setting Hole | 16.5 x 26mm | | |
| Size | 27.4 x 38mm | | |

Electrical Specifications

| CONTACT RESISTANCE | MEASURED AT SMALL CURRENT (1 A OR LESS) 1000Hz | <3mΩ |
|-----------------------|--|------------|
| INSULATION RESISTANCE | APPLY A VOLTAGE OF 500V DC FOR 1 MIN TO FOLLOWING PORTIONS AFTER WHICH MEASUREMENT SHALL BE MADE: (1) BETWEEN BODY AND CONDUCTOR (2) BETWEEN CONDUCTORS NOT TO BE CONTACT (3) BETWEEN CONDUCTORS NOT TO BE WHEN PLUG IS INSERTED DC 250V 1 MIN | ≥5000MΩ |
| DIELECTRIC STRENGTH | WHEN HAS THE INSULATION COMPONENTS TEST | 1500V@60S |
| NORMAL TYPE | RATED CURRENT/ VOLTAGE | 15A/125VAC |

XLR SOCKET CONNECTOR



Similar Products

| Stock No. | Brand | Product Name | Mounting Type | Gender |
|-----------|--------|---------------------------------|----------------|-------------------------|
| 457-942 | RS PRO | Panel Mounting XLR Connector | Panel Mounting | FEMALE SOCKET CONNECTOR |
| 458-052 | RS PRO | Panel Mounting XLR Connector | Panel Mounting | FEMALE SOCKET CONNECTOR |

