

Datasheet

RS Pro 4 Way Double Screw Earth Block, Screw Down 0 to 16 mm², 51.4mm length

RS Stock No: **425-544**



Product Details

RS Pro 4-way double screw earth block is manufactured from brass to BS2498 with electro tin plate matt finish for corrosion resistance. It has a screw down terminals that supports wire size up to 16 mm². It measures 51.4x 18.50 x 12.20 mm.

Features and Benefits

- 4-Way double screw earth block
- Brass to BS2498 with electro tin plate matt finish
- Screw down termination
- Wire size up to 16 mm²
- Measures 51.4x 18.50 x 12.20 mm







ENGLISH

Specifications:

Cable CSA	0 to 16 mm ²
Colour	Grey
Earth Block Type	Double Screw
Height	12.20 mm
Housing Material	Brass
Length	51.40 mm
Number of Ways	4
Termination Method	Screw Down
Width	18.50 mm
Wire Size	0 to 16 mm ²

Drawing (mm):



ITEM DESCRIPTION:-
BRASS EARTH BAR 4 WAY *H 2 5 5 H 4*

UNLESS SPECIFIED GENERAL TOLERANCE (REF. ISO 2768 - M)

SIZE: A4

SCALE: N.T.S

DRAWING NO.:
4 WAY EARTH BLOCK (T.P)

REVISION: 00

DATE: 19/09/2010
SIGN: *[Signature]*

FROM	TO	TOLERANCE
0.00	30.00	± 0.20
30.00	120.00	± 0.30
120.00	315.00	± 0.50
315.00	1000.00	± 0.80
1000.00	2000.00	± 1.20
2000.00	4000.00	± 2.00

NAME	DATE	SIGN
V.K.K	19/09/2010	<i>[Signature]</i>
K.P.V	19/09/2010	<i>[Signature]</i>
K.P.V	19/09/2010	<i>[Signature]</i>

DRN	CHD	APPR
MATERIAL: BRASS	FINISH: TIN PLATED	WEIGHT:

REV	DATE	COMMENTS

--	--	--

--	--	--

NOTE :- ALL DIMENSIONS ARE IN MM

