

ENGLISH

Datasheet

RS Pro Steel Galvanised Adaptable Box, 8 Knockouts 75mm x 75 mm x 50mm 20mm Knockout Size RS Stock No: 563-898



Product Details

RS Pro adaptable box measures 75 x 75 x 50 mm and has galvanised steel construction. It includes 8 knockouts with 20 mm size. The lids are secured by M5 x 8 mm mushroom-head screws.

Features and Benefits

- 8 knockouts
- 20 mm size
- Galvanised steel



ENGLISH

Specifications:

Depth	50 mm
Finish	Galvanised
Height	75 mm
Knockout Size	20 mm
Length	75 mm
Material	Steel
Number of Knockouts	8
Width	75 mm
Standards Met	BS4568



ENGLISH

Barton Adaptable Boxes are manufactured from steel and are available with plain sides or knock-outs. The standard finishes are Black Enamel and Hot Dipped Galvanised. (Pre-galvanized lids).

0

R261

Adaptable Boxes, Plain		R261
Size mm Inches		Pack Qty
mm 75 x 75 x 37.5	$3 \times 3 \times 1\frac{1}{2}$	10
75 x 75 x 50	3x3x1/2	10
75 x 75 x 75	3x3x2	6
100 x 75 x 37.5	$4 \times 3 \times 1^{1/2}$	10
100 x 75 x 50	4x3x2	10
100 x 100 x 37.5	$4 \times 4 \times 1^{1/2}$	10
100 x 100 x 50	4x4x2	10
100 x 100 x 75	4x4x3	6
150 x 75 x 37.5	6 x 3 x 1 ¹ / ₂	6
150 x 75 x 50	6x3x2	6
150 x 75 x 75	6 x 3 x 3	6
150 x 100 x 37.5	$6 \times 4 \times 1^{1/2}$	6
150 x 100 x 50	6x4x2	6
150 x 100 x 75	6 x 4 x 3	6
150 x 50 x 37.5	6 x 6 x 1 ¹ / ₂	6
150 x 50 x 50	6 x 6 x 2	6
150 x 50 x 75	6 x 6 x 3	4
150 x 50 x 100	6 x 6 x 4	2
225 x 75 x 37.5	9 x 3 x 1 ¹ / ₂	6
225 x 75 x 50	9 x 3 x 2	6
225 x 75 x 75	9 x 3 x 3	6
225 x 150 x 37.5	9 x 6 x 1 ¹ / ₂	4
225 x 150 x 50	9 x 6 x 2	4
225 x 150 x 75	9 x 6 x 3	4
225 x 150 x100	9 x 6 x 4	2
225 x 225 x 50	9 x 9 x 2	2
225 x 225 x 75	9 x 9 x 3	2
225 x 225 x100	9 x 9 x 4	1
300 x 150 x 50	12 x 6 x 2	2
300 x 150 x 75	12 x 6 x 3	2
300 x 150 x100	12 x 6 x 4	2
300 x 225 x 50	12 x 9 x 2	2
300 x 225 x 75	12 x 9 x 3	1
300 x 225 x100	12 x 9 x 4	1
300 x 300 x 50	12 x 12 x 2	2
300 x 300 x 75	12 x 12 x 3	1
300 x 300 x100	12 x 12 x 4	1
Adaptable Boxes, with knock-outs		R262


Where boxes are supplied with knock-outs the number and size are as follows:

Width of side	Number of K.O.s in each side	Size of K.O.
3"	2	20mm
4"	3	20mm
6"	4	20mm
9"	6	20mm
12"	6	20mm

Flanged lids are fitted as standard to all boxes and are secured by M5 x 8mm mushroom head screws.

The complete range is manufactured in accordance with BS 4568 Part 2.

A range of Pre-Galvanised Adaptable Boxes are also available on request.



RS, Professionally Approved Products, gives you professional quality parts across all products categories. Our range has been testified by engineers as giving comparable quality to that of the leading brands without paying a premium price.