


FEATURES

- Flame retardant: UL 94 V-2 Standard
- Marking cable bundles for easy identification
- Suitable for a multitude of uses
- Easy to thread
- Non-releasable

RS PRO White Nylon Cable Tie, 100mm x 2.5mm

RS Stock No.: 390-274



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Cable Ties

Product Description

This nylon type is frequently used when high mechanical strength, rigidity, good stability under heat and/or chemical resistance are required. Functioning like straps to keep cables tidy, they're available in a range of sizes and lengths.

General Specifications

Type	Non-Releasable
Colour	White
Material	Nylon 66
Application	Electrical installation Electronics Industrial Automation Telecommunications Cable management Home/DIY Garden
Resistant To	Chemical and Heat resistance
UV Resistant	Yes
Minimum Operating Temperature	-50°C
Maximum Operating Temperature	85°C
Fire Behaviour	Flame Retardant
Quantity	100

Mechanical Specifications

Width	2.5 mm
Tensile Strength	78.4N
Maximum Bundle Strength	23mm

Approvals

Standards Met UL94 V-2, cURus, ABS, RoHS compliant

Cable Ties

