


Timing Pulleys HTD8M-20

8mm pitch for 20mm wide belt
Centre drilled or Pilot Bore
in Steel or Cast Iron with Zinc plated Steel Flanges



Dimensions

Mat'l	Code	No. Teeth	Type	Dp	De	Df	Dm	F	L	Bore	No. Flanges
st.	P22-8M-20F	22	1F	56.02	54.65	60	43	28	38	12	2
st.	P24-8M-20F	24	1F	61.12	59.75	66	45	28	38	12	2
st.	P26-8M-20F	26	1F	66.21	64.85	70	48	28	38	12	2
st.	P28-8M-20F	28	1F	71.3	70.08	75	50	28	38	15	2
st.	P30-8M-20F	30	1F	76.39	75.13	82.5	55	28	38	15	2
st.	P32-8M-20F	32	1F	81.49	80.16	87	60	28	38	15	2
st.	P34-8M-20F	34	1F	86.58	85.22	91	66	28	38	15	2
st.	P36-8M-20F	36	1F	91.67	90.3	97	70	28	38	15	2
st.	P38-8M-20F	38	1F	96.77	95.39	102	75	28	38	15	2
st.	P40-8M-20F	40	1F	101.86	100.49	106	75	28	38	15	2
st.	P44-8M-20F	44	1F	112.05	110.67	120	75	28	38	15	2
st.	P48-8M-20F	48	1F	122.23	120.86	128	75	28	38	15	2
st.	P56-8M-20F	56	2F	142.6	141.23	150	80	28	38	15	2
st.	P64-8M-20F	64	2F	162.97	161.6	168	80	28	38	15	2
st.	P72-8M-20F	72	2F	183.35	181.97	192	80	28	38	15	2
C.I.	P80-8M-20	80	3	203.72	202.35	-	90	28	38	15	-
C.I.	P90-8M-20	90	3	229.18	227.81	-	90	28	38	15	-
C.I.	P112-8M-20	112	4	285.21	283.83	-	90	28	38	18	-
C.I.	P144-8M-20	144	4	366.69	365.32	-	90	28	38	20	-
C.I.	P168-8M-20	168	4	427.81	426.44	-	100	28	38	20	-
C.I.	P192-8M-20	192	4	488.92	487.55	-	100	28	38	20	-