


FEATURES

- Non-releasable ladder type
- Excellent resistance to corrosion, radiation and abrasion
- suitable for both indoors and outdoors
- Specially designed for industrial applications in aggressive environments
- Flame retardant
- Highly robust and durable with excellent chemical resistance
- Flexible
- Smooth internal surface that does not damage bundles
- Self-locking design for quick and secure installation
- Available with or without a black polyester-epoxy coating

RS PRO Metallic 316 Stainless Steel Ladder Cable Tie, 225mm x 7 mm

RS Stock No.: 121-1618



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

These RS PRO ladder type cable ties have been manufactured from grade 316 stainless steel. The construction of these metal cable ties gives them greater flexibility in comparison to a standard stainless steel cable tie. The unique design and structure of ladder cable ties make them ideal for applications which need extreme strengths. These ties are an ideal alternative where Nylon 66 cable ties are not suitable such as harsh environments or places where there is heat.

General Specifications

Type	Ladder
Colour	Metallic
Material	316 Stainless Steel
Application	for heavy-duty applications in industries such as: Oil and gas Marine Chemical Maintenance Automotive Solar Ship Building Mining Defence Services
Resistant To	Chemical , abrasion, corrosion, radiation, weatherin
UV Resistant	Yes
Minimum Operating Temperature	-80°C
Maximum Operating Temperature	538°C
Fire Behaviour	Flame Retardant
Quantity	100

Mechanical Specifications

Length	225mm
Width	7mm
Tensile Strength	436.1N
Maximum Bundle Strength	70mm

Approvals

Standards Met

ABS, DNV, Lloyd's Register, IEC 62275, UL-1565

