

# Product Data Sheet

## MaxiFoam® 34-800

|                         |                                |
|-------------------------|--------------------------------|
| <b>Colour – Coating</b> | Grey                           |
| <b>Colour – Liner</b>   | White                          |
| <b>Design</b>           | Palm coated knitwrist          |
| <b>Coating</b>          | NBR (Nitrile Butadiene Rubber) |
| <b>Coating texture</b>  | Micro-Foam for Controlled Grip |
| <b>Liner</b>            | Nylon                          |
| <b>Palm thickness</b>   | 1.10 mm                        |



### Dimensions

| Size Range                    | Size 5 (XXS) | Size 6 (XS) | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) |
|-------------------------------|--------------|-------------|------------|------------|------------|--------------|---------------|
| Total glove length (+/-10 mm) | 185          | 200         | 205        | 220        | 235        | 240          | 245           |
| Wrist length (mm)             | 55           | 65          | 65         | 70         | 70         | 70           | 70            |
| Wrist width (mm)              | 70           | 70          | 70         | 75         | 75         | 80           | 80            |
| Palm width (+/-3 mm)          | 78           | 85          | 87         | 90         | 97         | 100          | 103           |
| Over lock colour              | Purple       | Blue        | Red        | Orange     | White      | Yellow       | Black         |

### EN test Results

| Test                    | Notified Body | Result/Pass |
|-------------------------|---------------|-------------|
| EN 420: 2003 + A1: 2009 | TÜV Rheinland | Yes         |
| EN 388: 2016 + A1: 2018 | TÜV Rheinland | 4121A       |

If a glove due to its design and construction falls outside the scope of EN 420 in terms of hand size dimensions then this glove is classified as "fit for special purpose".



# Product Data Sheet

## MaxiFoam® 34-800

### Typical Performance Values

|  |               |
|--|---------------|
| EN 388:2016 + A1:2018 A. Abrasion Resistance | > 8000 Cycles |
| EN 388:2016 + A1:2018 B. Cut Resistance      | > 1.2 index   |
| EN 388:2016 + A1:2018 C. Tear Resistance     | > 25 newtons  |
| EN 388:2016 + A1:2018 D. Puncture Resistance | > 20 newtons  |
| EN 388:2016 + A1:2018 E. Cut Resistance ISO  | ≥ 2 Newton    |

### HandCare®

|  |           |
|--|-----------|
| Skin Health Alliance Dermatologically Accredited | Yes       |
| REACH compliant                                  | Yes       |
| Oeko-Tex® 100                                    | Certified |
| Sanitized®                                       | Yes       |



### Special features

|               |     |
|---------------|-----|
| Silicone free | Yes |
|---------------|-----|

### Packaging

|                        |                 |
|------------------------|-----------------|
| Pairs per poly bag     | 12              |
| Carton count           | 144             |
| Carton dimensions (mm) | 500 x 295 x 270 |



# Product Data Sheet

## MaxiFoam® 34-800

### Weight

| Size Range                       | Size 5 (XXS) | Size 6 (XS) | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) |
|----------------------------------|--------------|-------------|------------|------------|------------|--------------|---------------|
| Glove weight / Pair (+/- 6 gram) | 28           | 32          | 34         | 40         | 44         | 48           | 52            |
| Gross Weight (Kg)                | 5.3          | 5.9         | 6.2        | 7          | 7.6        | 8.2          | 8.8           |
| Carton Weight (Kg)               | 1            | 1           | 1          | 1          | 1          | 1            | 1             |
| Net Weight (Kg)                  | 4.3          | 4.9         | 5.2        | 6          | 6.6        | 7.2          | 7.8           |

Issue date: 09.07.2018

