



## TECHNOLOGY PLASMA 41 230V



### Overview

#### TECHNOLOGY PLASMA 41 230V

cod. 815493

Inverter, compressed air plasma cutting system, with contact striking of pilot arc.

Allows a rapid, distortion-proof cutting of all conductive materials such as steel, stainless steel, galvanised steel, aluminium, copper, brass, etc.

Features:

- reduced weight and dimensions
- warning led for torch under voltage, protections
- torch automatic cooling
- visualization of air pressure
- thermostatic, overvoltage, undervoltage, overcurrent protections.

Complete with torch.

### Technical data

CODE	CODE 815493	P <sub>MAX</sub>	MAX ABSORBED POWER 4 kW		COMPRESSED AIR PRESSURE 4 - 5 bar
V <sub>1PH</sub>	SINGLE PHASE MAINS VOLTAGE 230 V		MAINS FUSE 16 A	IP	PROTECTION DEGREE IP23
F	MAINS FREQUENCY 50 / 60 Hz	η	EFFICIENCY 85 %	W ↑ H L	DIMENSIONS 54 - 15 - 27 cm
A <sub>MIN</sub> / A <sub>MAX</sub>	CURRENT RANGE 7 - 40 A	ϕ	POWER FACTOR (cosphi) 0,7	kg	WEIGHT 7,6 kg
A <sub>MAX</sub> 40°C	MAX CURRENT 35 A - 30 %	MAX	MAX CUTTING THICKNESS 12 mm	BAR CODE	EAN CODE 800489771456 1
V <sub>0</sub>	MAX NO LOAD VOLTAGE 405 V	↓	COMPRESSED AIR CAPACITY 100 L/ min		PIECES/PALLET 30 pz/pallet
A <sub>MAX</sub>	MAX ABSORBED CURRENT 26,5 A				

### Included Accessories



**TECHNOLOGY PLASMA 41 230V**



**CABLE 6 MMQ 3 M - 123422**



**TOLEDO 300 WORK CLAMP - 712231**