

SAFETY DATA SHEET according to Regulation (EU) 2020/878

Page 1/5

RS-60/40 Sn-Pb No Clean Solder Wire Handypack

 Revision
 5

 Revision date
 2022-11-01

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	RS-60/40 Sn-Pb No Clean Solder Wire Handypack	
Other means of identification / UFI	UFI No.GAQJ-Q910-MJ07-D7X6.	
1.2. Relevant identified uses of t	the substance or mixture and uses advised against	
Description	Soldering.	
1.3. Details of the supplier of the	e safety data sheet	
Company	Qualitek Europe Ltd	
Address	Unit 9 Apex Court	
	Bassendale Road	
	Bromborough Wirral	
	CH62 3RE	
Web	www.qualitek.com	
Telephone	+ 44(0)151 334 0888	
Fax	+ 44(0)151 334 1408	
Email address of the	sales@qualitek-europe.com	
competent person		
1.4. Emergency telephone numb		
Emergency telephone number	+ 44(0)151 334 0888	
	9.00 am - 5.00 pm Mon -Fri	
SECTION 2: Hazards identif	ication	
2.1. Classification of the substar	nce or mixture	
2.1.2. Classification - EC 1272/2008	Skin Sens. 1: H317; Repr. 1A: H360FD; Lact.: H362; STOT RE 1: H372;	
2.2. Label elements		
Hazard pictograms		
Signal Word	Danger	
Hazard Statement	Skin Sens. 1: H317 - May cause an allergic skin reaction.	
	Repr. 1A: H360FD - May damage fertility. May damage the unborn child.	
	Lact.: H362 - May cause harm to breast-fed children. STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure .	
Precautionary Statement:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.	
Prevention	P263 - Avoid contact during pregnancy/while nursing.	
	P264 - Wash thoroughly after handling.	



RS-60/40 Sn-Pb No Clean Solder Wire Handypack

2.2. Label elements	
	P270 - Do no eat, drink or smoke when using this product. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P314 - Get medical advice/attention if you feel unwell. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
Precautionary Statement: Storage	Store in a dry place.
Precautionary Statement: Disposal	Dispose of in compliance with all Local and national regulations
Further information	
	CAUTION CONTAINS ROSIN: Exposure to this material may cause certain sensitive individuals to develop eczema and/or asthma.Sensitised persons may subsequently show asthmatic symptoms when exposed to atmospheric concentrations well below the OEL. Persons with a history of asthma allergies orchronic or recurrent respiratory disease should not be employed in any process in which this product is used. Contains Lead,Overexposure signs/symptoms-blood formation impairment,central nervous system depression.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Tin		7440-31-5	231-141-8	01-2119486474-28	55-65%	
Lead (Solid) (Lead)		7439-92-1	231-100-4	01-2119513221-59		Repr. 1A: H360FD; Lact.: H362; STOT RE 1: H372;
Natural Rosin (Mod Rosin)		65997-05-9	500-163-2	01-2119960933-37	1 - 10%	Skin Sens. 1: H317;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness and headache. Move the exposed person to fresh air. Seek medical attention.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. May cause dermatitis. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Harmful if swallowed. Ingestion may cause nausea and vomiting. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.



RS-60/40 Sn-Pb No Clean Solder Wire Handypack

6.2. Environmental precautions Do not allow product to enter drains. Prevent further spillage if safe. 6.3. Methods and material for containment and cleaning up Avoid raising dust. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. SECTION 7: Handling and storage 7.1. Precautions for safe handling Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing. 7.2. Conditions for safe storage, including any incompatibilities Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Natural Rosin (Mod Rosin)	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 0.05
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total 0.15	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection	Wear chemical protective clothing.
measures	
Eye / face protection	Approved safety goggles.
Skin protection -	Chemical resistant gloves (PVC).
Handprotection	
Respiratory protection	Self-contained breathing apparatus. Wear protective clothing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Solid
Colour	
Melting point	183 - 190 °C
Melting point Initial boiling point	197 °C
Flash point	Not applicable.
Autoignition temperature	> 226 °C
Solubility	Slightly miscible in water

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10: Stability and reactivity



RS-60/40 Sn-Pb No Clean Solder Wire Handypack

10.1. Reactivity	Revision date 2022-11-01
	No data available.
10.2. Chemical stability	
	Stable under normal conditions.
10.3. Possibility of hazardous re	1
	None.
10.4. Conditions to avoid	
	None.
10 E. Incompatible materiale	
10.5. Incompatible materials	Ausid contact with Aside Quidicing exerts
	Avoid contact with:. Acids. Oxidising agents.
10.6. Hazardous decomposition	
	aliphatic hydrocarbons. Acids.
SECTION 11: Toxicological i	information
11.1 Information on hazard class	ses
Acute toxicity	Very toxic if swallowed.
Serious eye damage/irritation	Irritating to eyes.
Respiratory or skin sensitisation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	No carcinogenic effects reported.
Reproductive toxicity	May cause harm to breastfed babies. May cause harm to the unborn child.
11.1.2. Mixtures	
	No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	1
	Harmful in contact with skin and if swallowed.
SECTION 12: Ecological info	ormation
12.2. Persistence and degradab	
	No data is available on this product.
12.3. Bioaccumulative potential	
	Bioaccumulative potential.
12.5. Results of PBT and vPvB	
	Not relevant.
12.6 Endooring disrupting propo	
12.6 Endocrine disrupting prope	
	Harmful to aquatic organisms.
SECTION 13: Disposal cons	iderations
General information	
	Dispose of in compliance with all local and national regulations.
SECTION 14: Transport info	rmation

14.1. UN number



RS-60/40 Sn-Pb No Clean Solder Wire Handypack

	Revision date 2022-11-01
14.1. UN number	
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es))
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for use	er
	The product is not classified as dangerous for carriage.
14.7 Maritime Transport in bulk	according to IMO instruments
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory inf	ormation
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture
	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
SECTION 16: Other information	tion
Other information	
Revision	This document differs from the previous version in the following areas:.

Revision	I his document differs from the previous version in the following areas:.
	2 - Hazard pictograms.
Text of Hazard Statements in	Repr. 1A: H360FD - May damage fertility. May damage the unborn child.
Section 3	Lact.: H362 - May cause harm to breast-fed children.
	STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure .
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

