

## FEATURES

- High performance cable assembly
- Impedance of 50 ohms
- Length of 300mm

## RS PRO Male MMCX to Underterminated Coaxial Cable

RS Stock No.: 326-8467



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

From the trusted brand RS PRO, comes a range of high quality Male MMCX to Unterminated coaxial cables. Manufactured out of industry-standard components, these flexible cables have been designed to carry signals over long distances and are easy to install.

The assembly of this cable is a consists of a gold plated brass 50 Ohm MMCX plug mounted on stranded RG178 RF coaxial cable and a terminated end allowing custom mounting.

## General Specifications

<b>Coaxial Type</b>	RG178
<b>Connector A</b>	Male MMCX
<b>Connector B</b>	Unterminated
<b>Terminated/Unterminated</b>	Terminated
<b>Applications</b>	Connecting radio transmitters and receivers with their antennas, Computer network (Internet) connections, Feeding satellite signals through to your TV.

## Electrical Specifications

<b>Voltage Rating</b>	170V
<b>Characteristic Impedance</b>	50 Ohm

## Mechanical Specifications

<b>Length</b>	300mm
<b>Conductor Strand Type</b>	Stranded

Item	Material
Insulation	PTFE

## Operation Environment Specifications

<b>Operating Temperature Range</b>	-55°C to 165°C
<b>Minimum Operating Temperature</b>	-55°C
<b>Maximum Operating Temperature</b>	165°C

## Approvals

<b>Compliance/Certifications</b>	EN61340
<b>Standards Met</b>	MIL-C-39012

