


## **FEATURES**

- Quick and easy integral storage of the thermocouple
- Miniature plug termination
- Thermocouple to ANSI MC96.1

# ANSI TYPE T EXPOSED JUNCTION WITH CABLE TIDY, PFA TWIN TWISTED THERMOCOUPLE CABLE 1/0.2mm WITH MINIATURE PLUG 5m

RS Stock No.: 2318484





RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

### **Product Description**

A complete, precision fine wire, high sensitivity thermocouple with a fitted cable tidy and miniature connector

#### **General Specifications**

Thermocouple Type	Туре Т	
Temperature Measurement Range	Rated 220°C continuous	
Construction	Fast response, welded exposed junction	
Measuring Junction	Exposed	
Standards Met	ANSI MC96.1	
Application	Ideal & convenient for scientific and industrial test & measurement	

#### **Mechanical Specifications**

Termination Type	Miniature Plug	
Cable Length	5m	
Cable Insulation	PFA 1/0.2mm	

#### Approvals

Compliance/Certifications	RoHS Compliant

#### Similar Products Range

Thermocouple	1m	2m	5m
К	110-4471	110-4472	2318483
Т	110-4473	110-4474	2318484



RS Components is a leading provider for Automation and Control Gear, below is a selection of best selling products:

rspro.com	Calibration Whether it's existing equipment or a new purchase, you need to have confidence in the accuracy of your measurements. That's where our calibration service can help. Purchase new products with confidence. A certificated calibrated sensor straight out of the box, ready to use. Best Sellers
PRO Temperature. It matters	RTD Detectors         Wire-wound type provides greater accuracy and stability but are vulnerable to shock.         Flat film type are resistant to shock and have quicker thermal response times.         Various lengths and diameters available, in class A, B and 1/10th Din.
Exposed Junction Thermocouples         Including exposed junctions with fitted or moulded miniature plug and insulated leads, ideal for test and development applications.         1, 2, 3, 5 & 10m lengths available in IEC or ANSI colours.	Fabricated and Specialist Thermocouples         Styles include; Magnet, Washer, Nozzle, Leaf, Bayonet & Bolt thermocouple. Various lengths and calibration types available.    Best Sellers

## Thermocouples





RS Components is a leading provider for Automation and Control Gear, below is a selection of best selling products:



www.alliedelec.com

## Thermocouples



