

FEATURES

- Offers exceptional strength
- Made from Nylon 6.6
- Highly versatile
- Non-corrosive, non-conductive, non-magnetic
- Typically used for automotive, agricultural, and white goods industries
- Ideal for maintenance and repair work as it is releasable and reusable

RS PRO Hose Clips & Jubilee Clips

RS Stock No.: see below




RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Hose Clips & Jubilee Clips

Product Description

This clip is the original double grip hose clamp, available in black and natural. It offers exceptional strength due to its unique double row of interlocking toothed jaws, which offer over twice the clamping forces achieved by similar single toothed products. Made from Nylon 6.6, the clip is highly versatile and lends itself to a wide variety of applications including agricultural machinery, automotive, and white goods. It is easy to install, releasable and reusable, ideal for maintenance and repair work. Non-corrosive, non-conductive, and non-magnetic.

General Specifications



RS Stock No	Size	Colour	A1-A2 (mm)	B (mm)	C (mm)	D (mm)
4751415	A	Black	5.4 - 6.3	4.6	1.4	8.5
2350612	A	Natural	5.4 - 6.3	4.6	1.4	8.5
291587	AA	Black	6.4 - 8.7	4.6	1.8	10.1
2350613	AA	Natural	6.4 - 8.7	4.6	1.8	10.1
291593	B	Black	8.0 - 9.3	4.7	1.6	9.5
2350614	B	Natural	8.0 - 9.3	4.7	1.6	9.5
291600	BB	Black	9.3 - 10.6	5.1	1.7	11.0
230615	BB	Natural	9.3 - 10.6	5.1	1.7	11.0
291616	C	Black	10.3 - 12.0	5.9	1.7	12.5
2350617	C	Natural	10.3 - 12.0	5.9	1.7	12.5
291622	CC	Black	11.2 - 13.0	6.1	1.7	12.2

Hose Clips & Jubilee Clips

291638	D	Black	12.0 - 13.8	6.6	1.7	12.1
291644	E	Black	13.8 - 15.3	7.4	2.1	13.8
291650	F	Black	14.9 - 17.5	7.2	2.2	13.2
291666	G	Black	17.0 - 19.5	7.1	2.1	12.7
291672	H	Black	18.2 - 21.1	7.2	2.2	12.9
291688	J	Black	20.7 - 23.8	6.5	2.2	14.6
291694	K	Black	22.3 - 25.3	7.2	2.1	13.2
291701	L	Black	25.1 - 28.3	7.3	2.2	13.2
291717	M	Black	26.4 - 30.0	8.0	2.2	13.7
2350609	N	Black	29.4 - 32.7	9.2	2.1	13.6
2350610	P	Black	32.3 - 35.3	9.3	2.2	13.9
2350611	Q	Black	35.2 - 38.7	9.1	2.2	13.7

Band

Note:

*widths stated are for conditioned clips with a moisture content at 50%RH;
Dryer clips are likely to give lower measurements & visa versa. Production checks are performed on very dry clips priority to conditioning.*

Connection Diagrams / Assembly Diagrams / Illustrations / Accessories