




Features

- Three-tooth pawl design locks tie in 3 places along serrated side offering the highest strength possible
- Stay tab maintains closed loop without locking

Specifications

Material : Nylon 6.6 / Polyamide
 Operating Temperature : -40°F to +185°F
 Flammability Rating : UL 94V-2
 Plenum Rating : AH-2

Diagram



Part Number	Tensile Strength	Bundle Diameter		Length	Thickness	Width	D	E	F
		Min. Inches (mm)	Max. Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)
PP002191	18lb.	0.062 (1.57)	0.874 (22.2)	4.125 (104.775)	0.042 (1.066)	0.095 (2.413)	0.18 (4.572)	0.15 (3.81)	0.22 (5.588)
PP002192		0.062 (1.57)	0.874 (22.2)	4.125 (104.775)	0.042 (1.066)	0.095 (2.413)	0.18 (4.572)	0.15 (3.81)	0.22 (5.588)
PP002189		0.062 (1.57)	0.874 (22.2)	4.125 (104.775)	0.042 (1.066)	0.095 (2.413)	0.18 (4.572)	0.15 (3.81)	0.22 (5.588)
PP002190		0.062 (1.57)	0.874 (22.2)	4.125 (104.775)	0.042 (1.066)	0.095 (2.413)	0.18 (4.572)	0.15 (3.81)	0.22 (5.588)
PP002195		0.062 (1.57)	1.5 (38.1)	6.187 (157.149)	0.042 (1.066)	0.095 (2.413)	0.18 (4.572)	0.15 (3.81)	0.22 (5.588)
PP002196		0.062 (1.57)	1.5 (38.1)	6.187 (157.149)	0.042 (1.066)	0.095 (2.413)	0.18 (4.572)	0.15 (3.81)	0.22 (5.588)
PP002193		0.062 (1.57)	1.5 (38.1)	6.187 (157.149)	0.042 (1.066)	0.095 (2.413)	0.18 (4.572)	0.15 (3.81)	0.22 (5.588)

Newark.com/multicomp-pro
 Farnell.com/multicomp-pro
 Element14.com/multicomp-pro

Standard Cable Ties

multicomp PRO

Part Number	Tensile Strength	Bundle Diameter		Length	Thickness	Width	D	E	F
		Min. Inches (mm)	Max. Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)
PP002194	18lb.	0.062 (1.57)	1.5 (38.1)	6.187 (157.149)	0.042 (1.066)	0.095 (2.413)	0.18 (4.572)	0.15 (3.81)	0.22 (5.588)
PP002199		0.062 (1.57)	2.187 (55.5)	8.187 (207.949)	0.042 (1.066)	0.095 (2.413)	0.18 (4.572)	0.15 (3.81)	0.22 (5.588)
PP002200		0.062 (1.57)	2.187 (55.5)	8.187 (207.949)	0.042 (1.066)	0.095 (2.413)	0.18 (4.572)	0.15 (3.81)	0.22 (5.588)
PP002197		0.062 (1.57)	2.187 (55.5)	8.187 (207.949)	0.042 (1.066)	0.095 (2.413)	0.18 (4.572)	0.15 (3.81)	0.22 (5.588)
PP002198		0.062 (1.57)	2.187 (55.5)	8.187 (207.949)	0.042 (1.066)	0.095 (2.413)	0.18 (4.572)	0.15 (3.81)	0.22 (5.588)
MC001981	40lb.	0.0625 (1.587)	1.437 (36.423)	5.84 (148.336)	0.049 (1.244)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)
MC001982		0.0625 (1.587)	1.437 (36.423)	5.84 (148.336)	0.049 (1.244)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)
MC001983		0.0625 (1.587)	1.437 (36.423)	5.84 (148.336)	0.049 (1.244)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)
MC001984		0.0625 (1.587)	1.437 (36.423)	5.84 (148.336)	0.049 (1.244)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)
MC001988		0.0625 (1.587)	4 (101.6)	14.25 (361.95)	0.054 (1.371)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)
PP002203		0.0625 (1.587)	2.375 (60.325)	8.875 (225.425)	0.049 (1.244)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)
PP002204		0.0625 (1.587)	2.375 (60.325)	8.875 (225.425)	0.049 (1.244)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)
PP002201		0.0625 (1.587)	2.375 (60.325)	8.875 (225.425)	0.049 (1.244)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)
PP002202		0.0625 (1.587)	2.375 (60.325)	8.875 (225.425)	0.049 (1.244)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)
PP002207		0.0625 (1.587)	3.375 (85.725)	10.968 (278.587)	0.054 (1.371)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)
PP002208		0.0625 (1.587)	3.375 (85.725)	10.968 (278.587)	0.054 (1.371)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)
PP002205		0.0625 (1.587)	3.375 (85.725)	10.968 (278.587)	0.054 (1.371)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)
PP002206		0.0625 (1.587)	3.375 (85.725)	10.968 (278.587)	0.054 (1.371)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)
PP002210		0.0625 (1.587)	4 (101.6)	14.25 (361.95)	0.054 (1.371)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)
PP002211		0.0625 (1.587)	4 (101.6)	14.25 (361.95)	0.054 (1.371)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)

Standard Cable Ties

multicomp PRO

Part Number	Tensile Strength	Bundle Diameter		Length	Thickness	Width	D	E	F
		Min. Inches (mm)	Max. Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)
PP002209	40lb.	0.0625 (1.587)	4 (101.6)	14.25 (361.95)	0.054 (1.371)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)
PP002215	50lb.	0.06 (1.57)	1.87 (47.6)	7.562 (192.075)	0.052 (1.32)	0.18 (4.572)	0.3 (7.62)	0.215 (5.461)	0.305 (7.747)
PP002213		0.06 (1.57)	1.87 (47.6)	7.562 (192.075)	0.052 (1.32)	0.18 (4.572)	0.3 (7.62)	0.215 (5.461)	0.305 (7.747)
PP002214		0.06 (1.57)	1.87 (47.6)	7.562 (192.075)	0.052 (1.32)	0.18 (4.572)	0.3 (7.62)	0.215 (5.461)	0.305 (7.747)
PP002218		0.06 (1.57)	3.06 (77.7)	11.25 (285.751)	0.052 (1.32)	0.18 (4.572)	0.3 (7.62)	0.215 (5.461)	0.305 (7.747)
PP002219		0.06 (1.57)	3.06 (77.7)	11.25 (285.751)	0.052 (1.32)	0.18 (4.572)	0.3 (7.62)	0.215 (5.461)	0.305 (7.747)
PP002217		0.06 (1.57)	3.06 (77.7)	11.25 (285.751)	0.052 (1.32)	0.18 (4.572)	0.3 (7.62)	0.215 (5.461)	0.305 (7.747)
PP002221		0.06 (1.57)	4 (101.6)	14.35 (364.49)	0.052 (1.32)	0.18 (4.572)	0.3 (7.62)	0.215 (5.461)	0.305 (7.747)
PP002220		0.06 (1.57)	4 (101.6)	14.35 (364.49)	0.052 (1.32)	0.18 (4.572)	0.3 (7.62)	0.215 (5.461)	0.305 (7.747)
MC001993		0.062 (1.57)	4 (101.6)	14.5 (368.3)	0.052 (1.32)	0.18 (4.572)	0.3 (7.62)	0.215 (5.461)	0.305 (7.747)
MC001994		0.062 (1.57)	4 (101.6)	14.5 (368.3)	0.052 (1.32)	0.18 (4.572)	0.3 (7.62)	0.215 (5.461)	0.305 (7.747)
MC001996		0.062 (1.57)	1.875 (47.625)	7.562 (192.075)	0.052 (1.32)	0.18 (4.572)	0.3 (7.62)	0.215 (5.461)	0.305 (7.747)
MC002005		0.062 (1.57)	3.062 (77.775)	11.25 (285.751)	0.052 (1.32)	0.18 (4.572)	0.3 (7.62)	0.215 (5.461)	0.305 (7.747)
PP002223	120lb.	0.187 (4.75)	2.06 (52.3)	8.7 (220.98)	0.076 (1.93)	0.3 (7.62)	0.49 (12.446)	0.3 (7.62)	0.5 (12.7)
PP002224		0.187 (4.75)	2.06 (52.3)	8.7 (220.98)	0.076 (1.93)	0.3 (7.62)	0.49 (12.446)	0.3 (7.62)	0.5 (12.7)
MC001965		0.187 (4.75)	4.0625 (103.187)	15.093 (383.362)	0.076 (1.93)	0.3 (7.62)	0.49 (12.446)	0.3 (7.62)	0.5 (12.7)
MC001966		0.187 (4.75)	9 (228.6)	30.875 (784.225)	0.083 (2.108)	0.302 (7.67)	0.492 (12.496)	0.286 (7.264)	0.476 (12.09)
MC001969		0.187 (4.75)	9 (228.6)	30.875 (784.225)	0.083 (2.108)	0.302 (7.67)	0.492 (12.496)	0.286 (7.264)	0.476 (12.09)
MC001970		0.187 (4.75)	4.0625 (103.187)	15.093 (383.362)	0.076 (1.93)	0.3 (7.62)	0.49 (12.446)	0.3 (7.62)	0.5 (12.7)
MC001971		1.5 (38.1)	7.18 (182.3)	25.25 (641.35)	0.09 (2.286)	0.34 (8.636)	0.555 (14.097)	0.335 (8.509)	0.55 (13.97)

Newark.com/multicomp-pro
 Farnell.com/multicomp-pro
 Element14.com/multicomp-pro

multicomp PRO

Standard Cable Ties

Part Number	Tensile Strength	Bundle Diameter	Length	Thickness	Width
		Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)
MP003155	175lb.	7.18 (182.3)	25.5 (647.7)	0.09 (2.28)	0.34 (8.63)
MP003156		7.18 (182.3)	25.5 (647.7)	0.09 (2.28)	0.34 (8.63)
MP003157		11 (279.4)	37.25 (946.15)	0.09 (2.28)	0.34 (8.63)
MP003158		11 (279.4)	37.25 (946.15)	0.09 (2.28)	0.34 (8.63)
MP003159		14.5 (368.3)	48.56 (1233.47)	0.09 (2.28)	0.34 (8.63)
MP003160		14.5 (368.3)	48.56 (1233.47)	0.09 (2.28)	0.34 (8.63)
MP003161		14.5 (368.3)	48.56 (1233.47)	0.09 (2.28)	0.34 (8.63)

Part Number Table

Description	MIL-SPEC	UL	CSA	Colour	Quantity	Part Number
18lb. Miniature Cable Tie, 4", Nylon 6.6	MS3367-4-0	Type 21	Type 21	UV Black	Pack of 100	PP002191
18lb. Miniature Cable Tie, 4", Nylon 6.6	MS3367-4-0	Type 21	Type 21	UV Black	Pack of 1000	PP002192
18lb. Miniature Cable Tie, 4", Nylon 6.6	MS3367-4-9	Type 21	Type 21	Natural	Pack of 100	PP002189
18lb. Miniature Cable Tie, 4", Nylon 6.6	MS3367-4-9	Type 21	Type 21	Natural	Pack of 1000	PP002190
18lb. Miniature Cable Tie, 6", Nylon 6.6	-	Type 21	Type 21	UV Black	Pack of 100	PP002195
18lb. Miniature Cable Tie, 6", Nylon 6.6	-	Type 21	Type 21	UV Black	Pack of 1000	PP002196
18lb. Miniature Cable Tie, 6", Nylon 6.6	-	Type 21	Type 21	Natural	Pack of 100	PP002193
18lb. Miniature Cable Tie, 6", Nylon 6.6	-	Type 21	Type 21	Natural	Pack of 1000	PP002194
18lb. Miniature Cable Tie, 8", Nylon 6.6	-	Type 21	Type 21	UV Black	Pack of 100	PP002199
18lb. Miniature Cable Tie, 8", Nylon 6.6	-	Type 21	Type 21	UV Black	Pack of 1000	PP002200
18lb. Miniature Cable Tie, 8", Nylon 6.6	-	Type 21	Type 21	Natural	Pack of 100	PP002197
18lb. Miniature Cable Tie, 8", Nylon 6.6	-	Type 21	Type 21	Natural	Pack of 1000	PP002198
40lb. Intermediate Cable Tie, Nylon 6.6	MS3367-5-0	Type 21	Type 21	Black	Pack of 100	MC001981
40lb. Intermediate Cable Tie, Nylon 6.6	MS3367-5-0	Type 21	Type 21	Black	Pack of 1000	MC001982
40lb. Intermediate Cable Tie, Nylon 6.6	MS3367-5-9	Type 21	Type 21	Natural	Pack of 100	MC001983
40lb. Intermediate Cable Tie, Nylon 6.6	MS3367-5-9	Type 21	Type 21	Natural	Pack of 1000	MC001984
40lb. Intermediate Cable Tie, Nylon 6.6	-	-	-	Natural	Pack of 1000	MC001988
40lb. Intermediate Cable Tie, 8", Nylon 6.6	-	Type 21	Type 21	UV Black	Pack of 100	PP002203
40lb. Intermediate Cable Tie, 8", Nylon 6.6	-	Type 21	Type 21	UV Black	Pack of 1000	PP002204
40lb. Intermediate Cable Tie, 8", Nylon 6.6	-	Type 21	Type 21	Natural	Pack of 100	PP002201
40lb. Intermediate Cable Tie, 8", Nylon 6.6	-	Type 21	Type 21	Natural	Pack of 1000	PP002202

Newark.com/multicomp-pro
 Farnell.com/multicomp-pro
 Element14.com/multicomp-pro

Standard Cable Ties

Description	MIL-SPEC	UL	CSA	Colour	Quantity	Part Number
40lb. Intermediate Cable Tie, 11", Nylon 6.6	-	Type 21	Type 21	UV Black	Pack of 100	PP002207
40lb. Intermediate Cable Tie, 11", Nylon 6.6	-	Type 21	Type 21	UV Black	Pack of 500	PP002208
40lb. Intermediate Cable Tie, 11", Nylon 6.6	-	Type 21	Type 21	Natural	Pack of 100	PP002205
40lb. Intermediate Cable Tie, 11", Nylon 6.6	-	Type 21	Type 21	Natural	Pack of 500	PP002206
40lb. Intermediate Cable Tie, 14", Nylon 6.6	-	Type 21	Type 21	UV Black	Pack of 100	PP002210
40lb. Intermediate Cable Tie, 14", Nylon 6.6	-	Type 21	Type 21	UV Black	Pack of 500	PP002211
40lb. Intermediate Cable Tie, 14", Nylon 6.6	-	Type 21	Type 21	Natural	Pack of 500	PP002209
50lb. Standard Cable Tie, 7", Nylon 6.6	MS3367-1-0	Type 21S	Type 21S	UV Black	Pack of 100	PP002215
50lb. Standard Cable Tie, 7", Nylon 6.6	MS3367-1-9	Type 21S	Type 21S	Natural	Pack of 100	PP002213
50lb. Standard Cable Tie, 7", Nylon 6.6	MS3367-1-9	Type 21S	Type 21S	Natural	Pack of 1000	PP002214
50lb. Standard Cable Tie, 11", Nylon 6.6	MS3367-7-0	Type 21S	Type 21S	UV Black	Pack of 100	PP002218
50lb. Standard Cable Tie, 11", Nylon 6.6	-	-	-	UV Black	Pack of 1000	PP002219
50lb. Standard Cable Tie, 11", Nylon 6.6	MS3367-7-9	Type 21S	Type 21S	Natural	Pack of 100	PP002217
50lb. Standard Cable Tie, 14", Nylon 6.6	MS3367-2-0	Type 21S	Type 21S	UV Black	Pack of 100	PP002221
50lb. Standard Cable Tie, 14", Nylon 6.6	MS3367-2-9	Type 21S	Type 21S	Natural	Pack of 100	PP002220
50lb. Standard Cable Tie, Nylon 6.6	MS3367-2-0	Type 21S	Type 21S	Black	Pack of 500	MC001993
50lb. Standard Cable Tie, Nylon 6.6	MS3367-2-9	Type 21S	Type 21S	Natural	Pack of 500	MC001994
50lb. Standard Cable Tie, Nylon 6.6	MS3367-1-0	Type 21S	Type 21S	Black	Pack of 1000	MC001996
50lb. Standard Cable Tie, Nylon 6.6	-	-	-	Natural	Pack of 1000	MC002005
120lb. Light Heavy Duty Cable Tie, Nylon 6.6	-	Type 21S	Type 21S	Natural	Pack of 100	PP002223
120lb. Light Heavy Duty Cable Tie, Nylon 6.6	-	Type 21S	Type 21S	UV Black	Pack of 100	PP002224
120lb. Light Heavy Duty Cable Tie, Nylon 6.6	MS3367-3-9	Type 21S	Type 21S	Natural	Pack of 100	MC001965
120lb. Light Heavy Duty Cable Tie, Nylon 6.6	MS3367-6-9	Type 21S	Type 21S	Natural	Pack of 50	MC001966
120lb. Light Heavy Duty Cable Tie, Nylon 6.6	MS3367-6-0	Type 21S	Type 21S	Black	Pack of 50	MC001969
120lb. Light Heavy Duty Cable Tie, Nylon 6.6	MS3367-3-0	Type 21S	Type 21S	Black	Pack of 100	MC001970
120lb. Extra Heavy Duty Cable Tie, Nylon 6.6	-	-	-	Natural	Pack of 25	MC001971
175lb. Heavy Duty Cable Tie, Nylon 6.6	MS3367-10-0	Type 21*	Type 21	UV Black	Pack of 50	MP003155
175lb. Heavy Duty Cable Tie, Nylon 6.6	MS3367-10-0	Type 21*	Type 21	Natural	Pack of 50	MP003156
175lb. Heavy Duty Cable Tie, Nylon 6.6	MS3367-13-0	Type 21*	Type 21	UV Black	Pack of 50	MP003157
175lb. Heavy Duty Cable Tie, Nylon 6.6	MS3367-13-9	Type 21*	Type 21	Natural	Pack of 50	MP003158
175lb. Heavy Duty Cable Tie, Nylon 6.6	MS3367-16-0	Type 21*	Type 21	UV Black	Pack of 50	MP003159
175lb. Heavy Duty Cable Tie, Nylon 6.6	MS3367-16-8	Type 21*	Type 21	Grey	Pack of 50	MP003160
175lb. Heavy Duty Cable Tie, Nylon 6.6	MS3367-16-9	Type 21*	Type 21	Natural	Pack of 50	MP003161

*Also rated UL 181B-C for HVAC.

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro
 Farnell.com/multicomp-pro
 Element14.com/multicomp-pro