

## FEATURES

- Srew-mount bench vice
- Made from drop-forged CF45 steel
- Jaw width of 140 mm
- Jaw depth of 98 mm
- Jaw opening to 200 mm
- Vice height of 178 mm
- Vice length of 475 mm
- Base diameter of 182 mm
- Weight of 16.5 kg
- Clamps pipes from 1/8 inches to 5 inches
- Conforms to ANSI/ESD S20.20:2014 and BS EN 61340-5-1:2007 Electrostatic Control Standards

## RS PRO Bench Vice x 98mm 140mm x 200mm, 16.5kg

RS Stock No.: 771-9290



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

### Product Description

Constructed from drop-forged CF45 steel for durability and surface quality, this bench vice from RS PRO helps you really get a grip on your work. Its flat, parallel jaws and anvil are induction hardened to HRC 52-58 on the Rockwell Scale. This provides strength and longevity, while a jaw alignment system ensures precision clamping. The extra-large anvil makes this a suitable tool for both big and small projects. It weighs 16.5 kg and the 98 mm deep jaws will open to 200 mm, allowing them to clamp pipes from 1/8 inches to 5 inches. Sizes are marked on the vice bar for easy setting.

### General Specifications

Vice Type	Bench Vice
Colour	Blue

### Mechanical Specifications

Jaw Opening	200mm
Jaw Width	140mm
Jaw Depth	98mm
Mounting	Screw
Weight	16.5kg

### Approvals

Declarations	ANSI/ESD S20.20:2014 and BS EN 61340-5-1:2007
--------------	---



	RS Code	7719281	7719290
Jaw Width	B	120	140
Vice Height	H	150	178
Jaw Depth	S	82	98
Jaw Opening	W	150	200
Length	Lmin.	380	475
Base Diameter	C	150	182
Anvil Size	axb	75x75	95x90
Screwhandle	d1	13	15
Hole Distance	D1	113	145
Hole Diameter	D2	ø13,5	ø15
Weight	kg	9,5	16,5
Clamps pipes from/to *1		1/8"-4"	1/8"-5"