

FEATURES

- Diecast aluminium alloy (LM2, BS1490)
- Stove Finish - is a coarse textured acrylic stove finish
- Close fitting lids with lip secured by stainless steel M3.5 countersunk screws
- Minimum wall thickness 1.6 mm

RS PRO General Purpose Enclosures-Die Cast Aluminium Enclosure

RS Stock No.: 517-4011



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

RS Pro Aluminium Enclosure - EMI/RFI Screened Stove Finish

From RS Pro, these aluminium enclosures with flanges for wall mounting or mounting on a place of installation to house electrical components. Made of Aluminium alloy ADC-12 with a stove acrylic finish. Close fitting lips are secured with Stainless Steel M3.5 countersunk screws. All models are highly reliable and excellent quality.

General Specifications

Body Material	Die Cast Aluminium
Colour	Black
Lid Colour	Black
Handheld	No
Flanged	No
Shielded	Yes
Transparent Door	No
RAL Code	RAL 9005
Cover Screws Material	Stainless Steel

Mechanical Specifications

External Height	100 mm
External Length	250 mm
External Width	250 mm
External Dimension	H 100 mm x L 250 mm x W 250 mm
Thickness	2.5 mm

Approvals

Declarations	RoHS Certificate of Compliance
--------------	--------------------------------

Similar Products

Stock No.	Brand	Product Name	Body Material	Colour	Shielded
517-3585	RS PRO	Die Cast Aluminium Enclosure	RS PRO	Grey	Yes
517-4241	RS PRO	Die Cast Aluminium Enclosure	RS PRO	Grey	Yes

Including: Base with screws for mounting plate/DIN-rail, cover with PUR gasket and stainless steel cover screws

