

FEATURES

- CM% measure function
- Measure and HOLD Function
- Pinless measurement
- Automatic calibration
- High frequency sensing technology

RS PRO RS-128M Moisture Meter, Maximum Measurement 100%

RS Stock No.: 146-9082



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

Introducing the RS PRO Multifunctional Moisture Meter, a highly reliable device used to quickly and effectively measure moisture content in a range of materials, including wood, plaster and concrete. The RS PRO moisture meter features Pinless technology, allowing an accurate moisture measurement to be carried out without damaging the surface of the material, making it an easy to use, non-invasive tool to measure moisture content.

General Specifications

Model Number	RS-128M
Type of Meter	Pin less
Measuring Principle	Material moisture
Display Type	Digital
Resolution	0.1%
Penetration Length	20mm to 40mm
Auto Power OFF	Yes
Hold Function	Yes
Applications	Wood / concrete / plaster / hay / Screed

Electrical Specifications

Power Source	Battery
Battery Included	Yes
Battery Type	AAA

Mechanical Specifications

Housing Material	Plastic
Dimensions	63mm x 30mm x 242mm
Width	63mm
Length	30mm
Height	242mm
Weight	226g

Approvals

Compliance/Certifications	EN61340
---------------------------	---------



Moisture Table of Comparison

Construction Material	Display(Unit)	Moisture Status
Gypsum	< 30	Dry
	30 ~ 60	Risk
	> 60	Wet
Cement	< 25	Dry
	25 ~ 50	Risk
	> 50	Wet
Wood	< 50	Dry
	50 ~ 80	Risk
	> 80	Wet

Specification

Measuring Range	0.0 ~ 100.0
Penetration Depth	20 ~ 40mm
Resolution	0.1
Battery	Three "AAA" Batteries