

FEATURES

- Pozidriv head type for improved screwdriver grip
- Countersunk head for a flush finish
- A2 stainless steel
- Easily Cleanable
- Meets DIN 965 Standards

RS PRO, M4 Countersunk Head, 8mm Stainless Steel Pozidriv A2 304

RS Stock No.: 914-1787



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description

From RS PRO a high-quality machine screw with a flat countersunk head for flush fitting and a versatile Pozidriv recess for a superior grip when tightening. This machine screw has a metric thread and is made from high quality A2 stainless steel which has strong abrasion resistance and excellent resistance to corrosion.

General Specifications

| Head Shape | Countersunk |
|--------------|---|
| Drive Type | Pozidriv |
| Applications | Food processing and brewing equipment, Domestic appliances, Building fasteners and fixings, Medical equipment, Non-salt water marine applications |

Mechanical Specifications

| Thread Size (Metric) | M4 |
|----------------------|------------------|
| Length Metric | 8mm |
| Material | Stainless Steel |
| Finish | Plain |
| Stainless Steel Type | A2 304 |
| Thread Pitch | 0.7mm |
| Head Diameter | 8.04mm to 8.4mm |
| Head Height | 2.7mm |
| Recess Diameter | 2.06mm to 2.51mm |
| Specification | DIN 965 |





| d1 | | M1.6 | M2 | M2.5 | М3 | M3.5 | M4 | M5 | M6 | M8 |
|--------|------|------|------|------|------|------|------|------|-------|-------|
| d2 | | 3.00 | 3.80 | 4.70 | 5.60 | 6.50 | 7.50 | 9.20 | 11.00 | 14.50 |
| k | max. | 0.96 | 1.20 | 1.50 | 1.65 | 1.93 | 2.20 | 2.50 | 3.00 | 4.00 |
| Recess | no. | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |

