

FEATURES

- Pre-galvanised music wire
- Wide range of springs for different jobs
- Supplied in plastic compartment box
- Spring sizes and box layout information on box

RS PRO Steel Alloy Compression Spring Kit, 320 Springs

RS Stock No.: 280-127



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

RS PRO Compression Spring and Extension Spring kits which are supplied in a handy and convenient storage box with individual compartments for easy identification of the springs. Spring kits are ideal for people regularly working with springs of different types and sizes, these RS PRO kits are particularly handy if you are unsure what size spring you will need for future applications.

Spring options include:

Compression Only, Compression spring kits each offering a different size range of springs.,

280-127 - Kit No. 1: 320 springs, 8 each of 40 different sizes

280-133 - Kit No. 2: 140 springs, 5 each of 28 different sizes

280-149 - Kit No. 3: 149 springs, 5 each of 27 different sizes

General Specifications

Spring Types	Compression
Material	Steel Alloy
Spring Quantity	320
Applications	Ball point pens, vehicles, mobile phones and valves

Kit Contents

Includes	Length	Depth
Compression Spring	Kit 1: 0.3mm to 1.54mm Kit 2: 1.4mm to 2.75mm Kit 3: 0.687mm to 3.75mm	Kit 1: 0.105mm to 0.3mm Kit 2: 0.25mm to 0.5mm Kit 3: 0.13mm to 0.615mm

Includes	Length	Depth
Extension Spring	Kit 1: 0.47mm to 2.0mm Kit 2: 1.4mm to 2.84mm Kit 3: 0.687mm to 4.0mm	Kit 1: 0.114mm to 0.312mm Kit 2: 0.25mm to 0.5mm Kit 3: 0.125mm to 0.625mm

Mechanical Specifications

Maximum Length	1.53in
Minimum Length	0.3in
Minimum Diameter	0.105in



Dimensions (in.)		
Compression Springs		
Kit No. 1	Kit No. 2	Kit No. 3
L. 0.3 to 1.53	L. 1.4 to 2.75	L. 0.687 to 3.75
D. 0.105 to 0.3	D. 0.25 to 0.5	D. 0.13 to 0.615

Dimensions (in.)		
Extension Springs		
Kit No. 1	Kit No. 2	Kit No. 3
L. 0.47 to 2.0	L. 1.4 to 2.84	L. 0.687 to 4.0
D. 0.114 to 0.312	D. 0.25 to 0.5	D. 0.125 to 0.625



Compression / Druckfeder / Compression / Compression / Compression / Trykfjeder / Compressie / Tryck																																																																															
D				L				d				n				D				L				d				n				D				L				d				n																																			
.105	.750	.016	22	.130	.500	.022	12	.125	.500	.010	12	.187	.750	.022	13 ¹ / ₂	.175	.300	.018	5 ³ / ₄	.130	.770	.018	20	.165	.950	.0148	18	.260	.700	.028	7	.145	.625	.020	13	.205	.800	.026	13 ¹ / ₂	.210	.475	.024	7 ¹ / ₂	.225	.800	.028	15	.250	.950	.024	11	.218	1.000	.023	15	.250	1.000	.028	14	.187	1.250	.018	20 ¹ / ₂	.255	1.340	.024	16	.300	1.050	.028	7 ¹ / ₂	.255	1.340	.024	16	.210	.700	.0108	12
Compression / Druckfeder / Compression / Compression / Compression / Trykfjeder / Compressie / Tryck																																																																															
D				L				d				n				D				L				d				n				D				L				d				n																																			
.195	.875	.028	12 ¹ / ₂	.205	.500	.018	7	.125	.625	.0124	17	.156	.750	.0148	16	.180	.750	.018	10	.270	1.187	.016	15	.250	.950	.024	11	.195	1.531	.020	19 ¹ / ₂	.156	1.000	.0164	23	.230	.562	.032	7 ³ / ₄	.275	.625	.024	6 ¹ / ₂	.156	1.250	.018	30	.281	.750	0.28	8	.218	1.000	.020	15	.218	1.500	.028	24	.250	1.500	.028	16	.218	1.250	.022	20	.250	1.500	.028	20								

