

ENGLISH

Datasheet

RS Pro HSS M10 Hexagon Drive Tap Thread Tap, 40.5 mm length

RS Stock No: 669-9390



Product Details

RS Pro hexagon drive thread tap is made of HSS. It comes with a thread size of M10, 1.5 mm pitch and it is 40.5 mm long. It has 1/4 Inch hex drive taps for hand use and with power tools.

Features and Benefits

- Metric thread standard
- Overall length of 40.5 mm
- HSS construction
- Hex shank type




ENGLISH

Specifications:

| Material | HSS |
|------------------|-------------------|
| Overall Length | 40.5 mm |
| Pitch | 1.5 mm |
| Shank Type | Hex |
| Thread Size | M10 |
| Thread Standard | Metric Coarse |
| Type | Hexagon Drive Tap |
| Number of Flutes | 4 |
| | |







1/4in hexagon drive tap

| 17-iii nexagon arive tap | | | | | | | | | |
|--------------------------|--------------------------|--|-------------|----------------------------------|---------------------------------|--------------------|-----------------|--------------|--|
| RS Stock Number | Manufactur e Part No. | Size | Pitch mm | Overall Length (L - 1.5)mm | Flute Length (I - 1.5)mm | Shank Length mm | Shank A/F mm | No. of flute | |
| 6699372 | T10500300 | M3 | 0.5 | 32.5 | 9 | 15 | 6.35 | 3 | |
| 6699381 | T10500400 | M4 | 0.7 | 35.0 | 11 | 15 | 6.35 | 3 | |
| 6699384 | T10500500 | M5 | 0.8 | 35.0 | 14 | 15 | 6.35 | 3 | |
| 6699388 | T10500600 | M6 | 1.0 | 37.5 | 16 | 15 | 6.35 | 3 | |
| 6699397 | T10500800 | M8 | 1.25 | 40.4 | 18 | 15 | 6.35 | 4 | |
| 6699390 | T10501000 | M10 | 1.5 | 40.5 | 21 | 15 | 6.35 | 4 | |
| 6699394 | T9061 | 6pcs (M3-M4-M5-M6-M8-M10) | | | | | | | |
| 6699404 | HT9120 | 6pcs drills(2.5-3.3-4.2-5.0-6.8-8.5) and 6pcs taps(M3-M4-M5-M6-M8-M10) | | | | | | | |

Remarks:

Material: HSS M2