

### **FEATURES**

- Material: UL approved Nylon 66, 94V-2
- Color: Grey (RAL7035)available in other colors.
- Suit a variety of applications, and diverse industries.
- Function :Mount gland to pre-drilled panel hole, use locknut to fix gland on board, insert the cables in the seal,and then tighten up the nut to hold cables in position.
- Simply and quickly fixed, high degree of the protection IP68 preventing dust and water.

# **RS PRO Cable Gland**

RS Stock No.: 214-1084



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



- Material: UL approved Nylon 66, 94V-2
- Color: Grey(RAL7035), available in other colors.
- Suit a variety of applications, and diverse industries.
- Function : Mount gland to pre-drilled panel hole, use locknut to fix gland on board, insert the cables in the seal, and then tighten up the nut to hold cables in position.
- Feature : Simply and quickly fixed, high degree of the protection IP68 preventing dust and water.
- Available to order the accessories separately. Follow the drawing and add the letter to the suffix part number, L for locknut, W for washer, B for gland body, S for seal, N for nut.

#### **General Specifications**

	1					
Series	Metric Thread					
Туре	Cable Gland					
Colour	Grey(RAL7035)					
Material	Nylon 66					
Finish						
Application						
Resistant To						
UV Resistant	No					
Minimum Operating Temperature	-40°C					
Maximum Operating Temperature	85°C					
Fire Behaviour	Self-Extinguishing					
Quantity	5pc					

Mechanical Specifications	
Thread	PG-9
Mounting Hole	15.2~15.5 mm
Cable Range	4 ~ 8 mm

## Cable Gland



Protection Category	
IP Rating	IP68
Approvals	
Declarations	
Standards Met	UL, RoHS, CE, IP68, HF

#### **Similar Products**

Stock No.	Brand	Product Name	Colour	Material	Thread
822-9644	RS PRO	Cable Gland	Grey(RAL7035)	Nylon 66	PG-9
822-9675	RS PRO	Cable Gland	Black	Nylon 66	PG-9



RS Artic	le	Thread	Mounting Hole	D1	D2	B1	L1	L2	L3	Cable Range	Packing
214108	34	PG-9	15.2~15.5	15	11	8	8.2	22	15	4 ~ 8	5PCS

