

Features

- USB 2.0
- A Male
- Mini B Male
- White

RS PRO USB 2.0 A Male – Mini B Male White

RS Stock No:



RS Professionally Approved Products bring to you, professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

The RS PRO 2 metre USB version 2.0 A male to mini-B male cable has a black PVC jacket and connector hoods. The cable flex has copper wire conductors and drain wire, with an aluminium braid, foil shielding and has an outer diameter of 4mm.

The connectors are nickel and have a strain relief to help avoid the cable splitting around the edge of the boot.

USB mini-B ports are commonly found on portable devices such as phones, cameras and portable hard disks.

General Specifications

USB Type	USB 2.0
Connector A	Male USB A
Connector A Type	USB 2.0
Connector A Gender	Male
Connector B	Male USB Mini B
Connector B Type	USB 2.0
Connector B Gender	Male
Connector Style	Plug, straight
Data Transfer Rate	480mbps
Outer Sheath Material	PVC
Sheath Colour	White
Connector Plating	Nickel
Pin Construction	Copper


Approvals

Standards Met	CE UKCA ROHS REACH
Declarations	CE UKCA ROHS REACH

Similar Products

Parameters	236-9072	182-8861	182-8862	182-8863	236-9073
Brand	RS PRO	RS PRO	RS PRO	RS PRO	RS PRO
Length	0.5mtr	1mtr	1.8mtr	3mtr	5mtr
USB Type	USB 2.0	USB 2.0	USB 2.0	USB 2.0	USB 2.0
Connector A	Male USB A	Male USB A	Male USB A	Male USB A	Male USB A
Connector A	USB 2.0	USB 2.0	USB 2.0	USB 2.0	USB 2.0
Connector A Gender	Male	Male	Male	Male	Male
Connector B	USB Mini B	USB Mini B	USB Mini B	USB Mini B	USB Mini B
Connector B	USB 2.0	USB 2.0	USB 2.0	USB 2.0	USB 2.0
Connector B Gender	Male	Male	Male	Male	Male
Connector	Plug, straight	Plug, straight	Plug, straight	Plug, straight	Plug, straight
Data Transfer	480mbps	480mbps	480mbps	480mbps	480mbps
Outer Sheath Material	PVC	PVC	PVC	PVC	PVC
Sheath Colour	White	White	White	White	White
Connector Plating	Nickel	Nickel	Nickel	Nickel	Nickel
Pin Construction	Copper	Copper	Copper	Copper	Copper

All lengths also available in our RS PRO range in the colour black



- 1 ————— 1
- 2 ————— 2
- 3 ————— 3
- 4 ————— 5
- Shell ————— Shell

Item Name		Description
CONDUCTOR A	Material	7/0.12mm BCX1P
CONDUCTOR B	Material	7/0.12mm BCX2C
INSULATOR	Material	PE+PVC
SHIELD	Material	AL/FOIL
BRAID	Material	64/0.12mm ALMG
Drain wire	Material	0.25mm Cu
OUTER JACKET	OD	4mm
	COLOR	WHITE