

FEATURES

- Threaded hook allows for 21 mm adjustment in assembly
- Working tension 35 daN when assembled with catch plate
- Maximum operating tension 400 daN
- Maximum tension before permanent deformation 600 daN
- Hand operated and easy to use toggle and fastener clamp
- Draw latch with over centre fastener

Steel Zinc Plated Toggle Latch, 400daN Op.Tension

RS Stock No.: 726-4150



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description

RS PRO large zinc plated steel toggle latch which has a length of 121.6 mm and a width of 42 mm. Toggle latches are a type of mechanical fastener and are also known as over centre fasteners, draw latches, and quick release fasteners and offer secure and easy fastening when locked. The unique cam action design makes the toggle latch strong and reliable and the quick release function means it can open quickly. When choosing a toggle latch you need to consider the maximum load to which it will be subject to as each latch and hook has been designed for a maximum load.RS PRO have a great range of stainless steel and steel toggle latches and door latches to suit large or small-scale applications including high strength latches, lockable, adjustable and non-adjustable options.

General Specifications

Material	Steel
Adjustable	Yes
Operating Tension	400dan
Application	Cases and containers, Enclosures, Industrial machinery, food containers and marine equipment, light duty applications


Mechanical Specifications

Length	121.6mm
Width	42mm

Approvals

Compliance/Certifications	2011/65/EU and 2015/863







3