

FEATURES

- Junction box for housing DIN rail terminals and other accessories
- Durable mild steel construction with grey finish
- IP66 rating for excellent weatherproof protection
- Minimum operating temperature of -20°C
- Maximum operating temperature of 110°C
- External M6 earthing stud
- Conforms to standards ANSI/ESD S20.20:2014 and BS EN 61340-5-1:2007 (handled and packaged in controlled environments that prevent damage due to electrostatic discharge)

RS PRO Junction Box, IP66, 150mm x 80mm x 150mm

RS Stock No.: 749-1888



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

This RS PRO junction box is designed to house terminals and accessories for a variety of electrical applications. With multiple DIN-rail fixing points, the enclosure offers a reliable and convenient way to protect everything from wires and cables to connectors and switches.

General Specifications

Body Material	Mild Steel
Base Material	Mild Steel
Colour	Grey
Lid Colour	Grey
Shape	Rectangular
Cover Locking	Screw
Application	Power Management

Mechanical Specifications

External Length	150mm
External Width	80mm
External Height	150mm
External Dimensions	150mm x 80mm x 150mm

Operational Environment Specifications


Temperature Range	-20°C to 85°C
--------------------------	---------------

Protection Category


IP Rating	IP66
------------------	------

Approvals


Standards Met	RoHS
---------------	------




SECTION A-A



FRONT VIEW



DETAIL OF MOUNTING RAIL



TOP VIEW