

FEATURES

- 10 mm Stud
- 10 mm Socket
- Threaded back washer
- Conical nut
- Long screw
- Short screw
- ESD common ground point label

RS PRO ESD Snap With 10 mm Socket

RS Stock No.: 122-9148



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

RS PRO Universal ESD sensitive snap mounting kit is all you need for adding new snap connections. The kit allows you to provide a grounding path ensuring ESD protective materials and people have the same electrical potential. The kit includes everything required to install a stud or socket in soft material up to 10 mm. You punch a hole through the material and screw on the socket or stud just using a Phillips screwdriver which is not included with the kit. RS PRO have a great range of ESD grounding accessories including bonding plugs, bonding boxes, bonding brackets and cords plus many more to help eliminate the build-up of static discharge which can be a risk to static sensitive components or devices. RS PRO is our own brand range and brings you a wide range of high-quality, great value products offering you more choice. Trusted by engineers all over the world, every part of every RS PRO product has been rigorously tested against demanding industry standards; they're only given the RS PRO Seal of Approval if we're confident of their exceptional quality, which means you can be confident too.

General Specifications

Accessory Type	Universal Snap Kit
Connector Type	10 mm Socket
Complies with EN 61340-5-1	Yes
Application	ESD grounding accessories form part of a workplace safety system to monitor and/or eliminate the build-up or discharge of static electricity that may pose a risk to electrical components such as computer hard drives.

Mechanical Specifications

Stud Size	10mm
------------------	------

Approvals

Compliance/Certifications	CLC/TR 61340-5-2:2008 User guide clause 4.4.1
----------------------------------	---

