

## FEATURES

- Lids with black neoprene gasket and 4 x M6 captive hexagon headed screws
- Operating temperature -20°C to +110°C
- Multiple DIN rail fixing points, M5
- External M6 earthing stud
- Material 316 stainless steel
- IP66 rating offering excellent weatherproof protection
- Suitable for a wide range of applications indoors and outdoors

## RS PRO Junction Boxes

RS Stock No.: 749-1866



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

### RS PRO Heavy Duty Junction Box, IP66

Introducing heavy duty terminal boxes from RS PRO, a range of high quality and durable junction boxes for housing DIN rail terminals and accessories in a range of electrical applications. With multiple DIN rail fixing points included, these junction boxes are perfect for installing and protecting electrical wires, connectors and cables, as well as providing a protective case for switches and more.

## General Specifications

<b>Body Material</b>	<b>Stainless Steel</b>
<b>Base Material</b>	<b>Stainless Steel</b>
<b>Gasket Material</b>	<b>Neoprene</b>
<b>Application</b>	<b>Power Management</b>
<b>Colour</b>	<b>Unpainted</b>
<b>Lid Colour</b>	<b>Unpainted</b>
<b>Temperature Range</b>	<b>-20 °C to +110 °C</b>
<b>Shape</b>	<b>Rectangular</b>
<b>Surface Finishing</b>	<b>Untreated</b>
<b>Mounting Type</b>	<b>Wall</b>
<b>Wall Thickness</b>	<b>1.2mm</b>
<b>Size</b>	<b>Small</b>
<b>Cover Locking</b>	<b>Screw</b>

## Mechanical Specifications

<b>Length</b>	<b>200mm</b>
<b>Width</b>	<b>80mm</b>
<b>Height</b>	<b>200mm</b>
<b>Dimensions</b>	<b>200 x 80 x 200mm</b>

## Protection Category

<b>IP Rating</b>	<b>IP66</b>
------------------	-------------

## Approvals

<b>Declarations</b>	<b>RoHS Certificate of Compliance</b>
---------------------	---------------------------------------

## Approvals

Stock No.	Brand	Product Name	Material	Dimensions	Number of ways
122-030	RS PRO	Junction Box	Steel	300 x 200 x 120mm	
144-4457	RS PRO	Junction Box	GRP	220 x 120 x 90mm	