

ENGLISH

Datasheet

RS Pro P13.5s Filament Indicator Lamp, Clear, 4.75 V, 500 mA, 15h

RS Stock No: 655-9025



Product Details

RS Pro P13.5s filament indicator lamp comes with clear lens and P13.5s prefocus base. It is filled with Krypton gas for high brightness. It has a voltage rating of 4.75 V and current rating of 500 mA. The lamp has 15 h life.

Features and Benefits

- Olive shape B3 1/2 11 mm glass
- P13.5s prefocus base
- Vacuum



ENGLISH

Specifications:

500 mA
11.3 mm
P13.5s
B3 1/2
29 mm
Clear
15 h
25 lm
4.75 V





RS Stock No.	6559025	
DRAWING - I		
	9.17±0.08 13.5±1	Unit: mm
	Bulb Type	B3 1/2
1 Structure	Bulb Diameter	Ø 11.3Max.
1. Structure	77.2.14 3072	Ø 11.3Max. 29.0Max
1. Structure	Bulb Diameter	Ø 11.3Max. 29.0Max P13.5s.
1. Structure	Bulb Diameter Length	Ø 11.3Max. 29.0Max P13.5s. 4.75V
2. Design	Bulb Diameter Length Base Type	Ø 11.3Max. 29.0Max P13.5s. 4.75V 500mA±10%
1. Structure 2. Design Characteristics	Bulb Diameter Length Base Type Voltage	Ø 11.3Max. 29.0Max P13.5s. 4.75V