**REVIEW DATE: 01/07/2023** 

# **SAFETY DATA SHEET**

This safety data sheet was created pursuant to the requirements of: Safety data sheet according to Regulation (EC) 2020/878

Revision date 17/07/2023 Revision Number 3.11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name RS Pro Box of 20 Multi-purpose Wipes for Electronics Use

**Product Code(s)** 557-067, 171-3843, ZP

Safety data sheet number 00708

Unique Formula Identifier (UFI) A2P6-P0FU-W00M-W5TT

Pure substance/mixture Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Cleaning agent

Uses advised against No specific uses advised against are identified

### 1.3. Details of the supplier of the safety data sheet

#### **Supplier**

RS Components Ltd Birchington Road Corby Northants NN17 9RS +44 (0) 845 850 9900 RCustomerServicesUK@rs-components.com

RS Components Ltd Glenview Industrial Estate Herberton Road Rialto Dublin 12 +353 (0) 1 415 3100 enquiries.ie@rs-components.com

### For further information, please contact

E-mail address RCustomerServicesUK@rs-components.com

#### 1.4. Emergency telephone number

Emergency Telephone POISON INFORMATION CENTRE (Beaumont Hospital, Republic of Ireland only) +353 (0)1

809 2166 (08:00 - 22:00)

#### Emergency Telephone -

Page 1 / 14

+44 1235 239670 (24hr)

+44 (0) 1865 407333 (24hr)

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flammable liquids	Category 2 - (H225)
Serious eye damage/eye irritation	Category 2 - (H319)
Specific target organ toxicity — single exposure	Category 3 - (H336)
Category 3 Narcotic effects	

#### 2.2. Label elements

Contains Propan-2-ol





Signal word

Danger

#### **Hazard statements**

H225 - Highly flammable liquid and vapour

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

#### Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

### 2.3. Other hazards

do. Continue rinsing.

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

	Chemical name	Weight-%	REACH registration	EC No (EU	Classification according	Specific	M-Factor	M-Factor
-			number	Index No)	to Regulation (EC) No.	concentration		(long-term)
-					1272/2008 [CLP]	limit (SCL)		
ſ	Propan-2-ol	60-100	01-2119457558-25-00	200-661-7	Eye Irrit. 2 (H319)	-	-	-
	67-63-0		00		STOT SE 3 (H336)			
					Flam. Liq. 2 (H225)			

#### Full text of H- and EUH-phrases: see section 16

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
Propan-2-ol 67-63-0	1870	4059	No data available	30.1002	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

**Eye contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

Revision date 17/07/2023

persists.

**Skin contact**Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a doctor.

**Self-protection of the first aider** Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

#### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapour

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

5.3. Advice for firefighters

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

### SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas. Avoid contact with skin, eyes or clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Avoid breathing vapours or mists. In case of insufficient ventilation, wear suitable

respiratory equipment.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Storage class (TRGS 510) LGK 10.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### **Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Propan-2-ol	-	TWA: 200 ppm	TWA: 200 ppm	STEL: 1225.0 mg/m <sup>3</sup>	TWA: 400 ppm
67-63-0		TWA: 500 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>	TWA: 980.0 mg/m <sup>3</sup>	TWA: 999 mg/m <sup>3</sup>
		STEL 800 ppm	STEL: 400 ppm		STEL: 500 ppm
		STEL 2000 mg/m <sup>3</sup>	STEL: 1000 mg/m <sup>3</sup>		STEL: 1250 mg/m <sup>3</sup>
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Propan-2-ol	-	TWA: 500 mg/m <sup>3</sup>	TWA: 200 ppm	TWA: 150 ppm	TWA: 200 ppm
67-63-0		Ceiling: 1000 mg/m <sup>3</sup>	TWA: 490 mg/m <sup>3</sup>	TWA: 350 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>
		D*	STEL: 400 ppm	STEL: 250 ppm	STEL: 250 ppm
			STEL: 980 mg/m <sup>3</sup>	STEL: 600 mg/m <sup>3</sup>	STEL: 620 mg/m <sup>3</sup>
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Propan-2-ol	STEL: 400 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 400 ppm	TWA: 500 mg/m <sup>3</sup>
67-63-0	STEL: 980 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>	TWA: 200 ppm
			Peak: 400 ppm	STEL: 500 ppm	STEL: 1000 mg/m <sup>3</sup>
			Peak: 1000 mg/m <sup>3</sup>	STEL: 1225 mg/m <sup>3</sup>	STEL: 400 ppm
					b*
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Propan-2-ol	TWA: 200 ppm	-	TWA: 200 ppm	TWA: 350 mg/m <sup>3</sup>	STEL: 250 ppm
67-63-0	STEL: 400 ppm		TWA: 492 mg/m <sup>3</sup>	STEL: 600 mg/m <sup>3</sup>	STEL: 600 mg/m <sup>3</sup>
	Sk*		STEL: 400 ppm		TWA: 150 ppm
			STEL: 983 mg/m <sup>3</sup>		TWA: 350 mg/m <sup>3</sup>
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Propan-2-ol	-	-	-	TWA: 100 ppm	STEL: 1200 mg/m <sup>3</sup>
67-63-0				TWA: 245 mg/m <sup>3</sup>	TWA: 900 mg/m <sup>3</sup>
				STEL: 150 ppm	skóra*
				STEL: 306.25 mg/m <sup>3</sup>	
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Propan-2-ol	TWA: 200 ppm	TWA: 81 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-63-0	STEL: 400 ppm	TWA: 200 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>
1	1	STEL: 203 ppm	Ceiling: 1000 mg/m <sup>3</sup>	STEL: 400 ppm	STEL: 400 ppm

Revision date	17/07/2023

	STEL: 500 mg/m	STEL: 1	000 mg/m <sup>3</sup> STEL: 1000 mg/m <sup>3</sup>	
Chemical name	Sweden	Switzerland	United Kingdom	
Propan-2-ol	Vägledande KGV: 250 ppm	TWA: 200 ppm	TWA: 400 ppm	
67-63-0	Vägledande KGV: 600 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>	TWA: 999 mg/m <sup>3</sup>	
	NGV: 150 ppm	STEL: 400 ppm	STEL: 500 ppm	
	NGV: 350 mg/m <sup>3</sup>	STEL: 1000 mg/m <sup>3</sup>	STEL: 1250 mg/m <sup>3</sup>	

### **Biological occupational exposure** limits

Chemical name	European Union	Austria	Bulg	garia	Croatia		Czech Republic
Propan-2-ol	-	-		=	50 mg/L - blo		-
67-63-0					(Acetone) - at		
					end of the work		
					50 mg/L - uri		
					(Acetone) - at		
					end of the work		
Chemical name	Denmark	Finland	Fra	ince	Germany DF		Germany TRGS
Propan-2-ol	-	-		-	25 mg/L (who		25 mg/L (whole
67-63-0						e end	blood - Acetone end
					of shift)		of shift)
					25 mg/L (urin		25 mg/L (urine -
							Acetone end of shift)
					25 mg/L - BAT		
					of exposure or		
					of shift) urin		
					25 mg/L - BAT		
					of exposure or of shift) bloc		
Chemical name	Hungary	Irelan	<u>н</u>	ltal	/ MDLPS		Italy AIDII
Propan-2-ol	- Tungary	40 mg/L (urine	-	ital	-	40 m	g/L - urine (Acetone)
67-63-0		end of shift a					nd of shift at end of
0, 60 0		workwe				"	workweek
Chemical name	Latvia	Luxemb		R	omania		Slovakia
Propan-2-ol	-	- Laxonio	July		urine (Acetone)		-
67-63-0					nd of shift		
Chemical name	Slovenia	Spair	า		itzerland		United Kingdom
	25 mg/L - blood (Aceto						<u>-</u>
67-63-0	- at the end of the wo				d of shift)		
	shift		,	1	nol/L (urine -		
	25 mg/L - urine (Aceto	ne)		1	e end of shift)		
	- at the end of the wo	rk		25 mg/L	(whole blood -		
	shift				e end of shift)		
					L (whole blood -		
				Acetone	e end of shift)		

### Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Propan-2-ol	-	888 mg/kg bw/day [4] [6]	500 mg/m³ [4] [6]
67-63-0			

Systemic health effects. Long term. [4] [6]

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Propan-2-ol	26 mg/kg bw/day [4] [6]	-	89 mg/m <sup>3</sup> [4] [6]
67-63-0			

Systemic health effects.

[4] [6] Long term.

#### **Predicted No Effect Concentration (PNEC)**

Chemical name	Freshwater	Freshwater	Marine water	Marine water	Air
		(intermittent release)		(intermittent release)	
Propan-2-ol 67-63-0	140.9 mg/L	140.9 mg/L	140.9 mg/L	-	-

	Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
	•	552 mg/kg sediment	• •	2251 mg/L	28 mg/kg soil dw	160 mg/kg food
١	67-63-0	dw	dw			

8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Wear suitable gloves. Hand protection

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do **General hygiene considerations** 

not eat, drink or smoke when using this product.

**Environmental exposure controls** No information available.

## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

**Physical state** Liquid

Liquid-impregnated wipe **Appearance** 

Colour Colourless Odour Characteristic.

**Odour threshold** No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing pointNo data availableNone knownInitial boiling point and boiling rangeNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point 12 °C Closed cup
Autoignition temperature No data available None known
Decomposition temperature None known

None known No data available pH (as aqueous solution) No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known Water solubility No data available None known Solubility(ies) No data available None known **Partition coefficient** No data available None known Vapour pressure No data available None known 0.7855 @ 20°C Relative density None known

Relative density

Bulk density

Liquid Density

Relative vapour density

No data available

No data available

No data available

Particle characteristics

Particle Size No information available
Particle Size Distribution No information available

#### 9.2. Other information

9.2.1. Information with regards to physical hazard classes

Explosive properties Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidizing.

9.2.2. Other safety characteristics

No information available

### **SECTION 10: Stability and reactivity**

10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

**Sensitivity to mechanical impact** None. **Sensitivity to static discharge** None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

None known

10.5. Incompatible materials

**Incompatible materials**None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness or dizziness.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

**Skin contact** Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may

cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Revision date 17/07/2023

Acute toxicity

**Numerical measures of toxicity** 

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propan-2-ol	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat) 6 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT - single exposure** May cause drowsiness or dizziness.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** The substance/mixture does not contain components considered to have endocrine

disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2. Other information

Other adverse effects No information available.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

#### **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Propan-2-ol	EC50: >1000mg/L (96h,	LC50: =9640mg/L (96h,	-	EC50: =13299mg/L (48h,
	Desmodesmus	Pimephales promelas)		Daphnia magna)
	subspicatus)	LC50: =11130mg/L (96h,		
	EC50: >1000mg/L (72h,	Pimephales promelas)		
	Desmodesmus	LC50: >1400000µg/L		
	subspicatus)	(96h, Lepomis		
		macrochirus)		

### 12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** No information available.

**Component Information** 

Chemical name	Partition coefficient
Propan-2-ol	0.05

12.4. Mobility in soil

Mobility in soil No information available.

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

Chemical name	PBT and vPvB assessment
Propan-2-ol	The substance is not PBT / vPvB PBT assessment does
	not apply

#### 12.6. Endocrine disrupting properties

Endocrine disrupting properties The substance/mixture does not contain components considered to have endocrine

disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7. Other adverse effects

No information available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

### **SECTION 14: Transport information**

IATA

14.1 UN number or ID number UN3175

**14.2 UN proper shipping name** 3175 - Solids containing flammable liquid, n.o.s.

14.3 Transport hazard class(es) 4.114.4 Packing group | |

14.5 Environmental hazards No

14.6 Special precautions for user

Special Provisions None

IMDG

14.1 UN number or ID number UN3175

**14.2 UN proper shipping name** 3175 - Solids containing flammable liquid, n.o.s.

14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
4.1
No

14.6 Special precautions for user

Special Provisions

14.7 Maritime transport in bulk according to IMO instruments

None

Maritime transport in bulk No information available

RID

14.1 UN number or ID number UN3175

**14.2 UN proper shipping name** 3175 - Solids containing flammable liquid, n.o.s.

14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
14.6 Special precautions for user

Special Provisions None

<u>ADR</u>

14.1 UN number or ID number UN3175

**14.2 UN proper shipping name** 3175 - Solids containing flammable liquid, n.o.s.

14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
14.6 Special precautions for user

Special Provisions None

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### **France**

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Propan-2-ol - 67-63-0	RG 84

#### Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

This product contains one of more substance(c) sub	jeet to reethouerr (regulation (Ee) 140:	100172000 (11271011); 7111100 7111)
Chemical name	Restricted substance per REACH	Substance subject to authorisation per
	Annex XVII	REACH Annex XIV
Propan-2-ol - 67-63-0	Use restricted. See item 75.	-

### **Persistent Organic Pollutants**

Not applicable

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Propan-2-ol - 67-63-0	Product-type 2: Disinfectants and algaecides not intended
·	for direct application to humans or animals Product-type 4:

### Food and feed area Product-type 1: Human hygiene

#### **International Inventories**

Contact supplier for inventory compliance status **TSCA DSL/NDSL** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **EINECS/ELINCS** Contact supplier for inventory compliance status **ENCS** Contact supplier for inventory compliance status **IECSC** Contact supplier for inventory compliance status **KECL** Contact supplier for inventory compliance status **PICCS** Contact supplier for inventory compliance status AIIC Contact supplier for inventory compliance status **NZIoC** 

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**AIIC** - Australian Inventory of Industrial Chemicals **NZIOC** - New Zealand Inventory of Chemicals

#### 15.2. Chemical safety assessment

Chemical Safety Report No information available

### **SECTION 16: Other information**

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

+ Sensitisers

lassification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method

Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

European Chemicals Agency (ECHA) (ECHA\_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 17/07/2023

# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**