

FEATURES

- RS PRO equipment case
- Black polypropylene construction for strength and durability
- Pre-fitted with protective bottom foam layer and egg style foam layer in the lid
- Compatible with padlocks
- Resistant to corrosive substances like grease and acids
- Air lock to control air pressure for sensitive components & equipment
- IP67 rated, dust-tight and waterproof
- Weight 650g

RS PRO Waterproof Plastic Equipment case, 90 x 210 x 170mm

RS Stock No.: 767-4989



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Transit Cases



Product Description

Look after your most valuable items with this sturdy, waterproof case from the RS PRO range. An integrated foam layer at the bottom and in the lid means delicate kit, such as electronic testing devices, stays safe in transit.

The lockable equipment case is made from tough polypropylene and comes with an IP67 rating. This gives you peace of mind that it's sealed against dust and is waterproof for up to 30 minutes when submerged in a metre of water. A top handle, compact size and lightweight material make it easy to carry in the field.

General Specifications

Material	Polypropylene	
Foam	Yes	
Watertight or Waterproof	Yes	
Wheels	No	
Colour	Black	
Dividers	No	
Lockable	Yes	
Material Type	Plastic	
Applications	Musical instruments; Tools; Cable equipment; Photography and Camera Equipment; Test equipment; Component storage	



Mechanical Specifications


Internal Height	75mm
Internal Width	190mm
Internal Depth	130mm
Internal Dimensions	75mm x 190mm x 130mm
External Height	90mm
External Width	210mm
External Depth	170mm
External Dimensions	90mm x 210mm x 170mm
Weight	650g

Protection Category

IP Rating	IP67















Stock No	Extenal (mm)	Internal (mm)	Weight (Kg)
7674989	210x170x90	190x130x75	0.65
7674982	330x280x120	300x220x90	1.70
7674986	430x380x155	395x320x125	3.10
7674995	515x415x200	485x355x170	4.30