Nitrilite®

93-311 Clean Nitrile Glove



Reliable protection for clean environments

Nitrilite[®] 93-311 is a clean nitrile glove with low levels of ionic content and particles - for reliable product protection. Designed for use in Class 100 / ISO 5 Cleanroom Environments.

- Compatible with Class 100 (ISO 5)
- Low levels of ionic content and particles for excellent product protection

Industries

- Biotechnology Manufacturing
- Medical Device Manufacturing
- Electronics manufacturing

Recommended For

- Clean room cleaning and preparing
- Blending, compounding solids and liquids
- Spill or leakage cleanup
- Transferring liquids and solids
- Loading centrifuges and chromatography columns
- Assembly of parts
- Weighing and dispensing of solid and liquid raw materials





Nitrilite[®]

93-311 Clean Nitrile Glove

TECHNICAL DATA SHEET

PRODUCT INFORMATION

Material N	the file
	Nitrile
Color W	Vhite
Shape Ar	Ambidextrous
Manufacturing/QMS Audit Standards	SO 9001:2015
Regulatory	Category III, EN ISO 21420:2020, EN ISO 374-1:2016, EN ISO 374-5:2016, FDA21 CFR 177-2600-US Food Contact Approved, ISO 14001
Packaging 50	0 gloves per inner bag; 2 inner bags per master polybag; 10 master polybags per (1000 gloves) per liner bag
Storage Ke	Keep out of direct sunlight; store in a cool and dry place. Keep away from sources of ozone or ignition.
Country of Origin M	Лаlaysia
Available sizes	(S (5.5 - 6), S (6.5 - 7), M (7.5 - 8), L (8.5 - 9), XL (9.5 - 10)
Internal Glove Surface Po	Powder-Free, Chlorinated
Cleanroom Class Cl	Class 100/ISO 5
Shelf Life 5	5 Years
Tested for use with Chemotherapy Drugs	No
Protein Level N	I/A: contains no natural rubber latex
Anti-static Ye	/es



Nitrilite®

93-311 Clean Nitrile Glove

PHYSICAL PROPERTIES

	Typical Values	Testing Method
Length (mm/in)	300 / 12	EN 420/ASTM D3767
Freedom from Holes	2.5 AQL	EN 455-1/ASTM D3577
Typical Particle Count ≥0.5µm (counts / cm²)	< 2,400 particles / cm²	IEST-RP-CC005.4
Target Single Wall Palm Thickness (mm/mil)	0.10 / 3.9	EN 420/ASTM D3767
Target Single Wall Finger Thickness (mm/mil)	0.13 / 5.1	EN 420/ASTM D3767
Target Single Wall Cuff Thickness (mm/mil)	0.075 / 3.0 mil	EN 420/ASTM D3767

IONIC CONTENT

Concentration in µg/cm ²	Typical	Concentration in µg/cm ²	Typical
Calcium	0.500	Potassium	0.050
Chloride	0.285	Sodium	0.038
Lithium	0.0004	Sulphate	0.080
Magnesium	0.050	Zinc	0.300
Nitrate	0.165		

ORDERING INFORMATION

	SIZE	XS (5.5 - 6)	S (6.5 - 7)	M (7.5 - 8)	L (8.5 - 9)	XL (9.5 - 10)
93-311	REORDER NO.	365752	365753	365754	365755	365756

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01

Asia Pacific Region

Ansell Global Trading Center T: +603 8310 6688 F: +603 8310 6699 North America Region Ansell Healthcare Products LLC US T: +1 800 800 0444 US F: +1 800 800 0445 CA T: +1-800-363-8340

Latin America & Caribbean Region Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133 Australia

Ansell Limited T: +61 1800 337 041 F: +61 1800 803 578 **UK**

Ansell Nitritex T: +44 1638 663338 F: +44 1638 668890

Ansell, [®] and [™] are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2022 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

Performance Standards and Regulatory Compliance



