

## FEATURES

- All fluids usable in aggressive environment
- Mechanical resistance
- Silicon free

## RS PRO FEMALE SOCKET INOX FKM.3/8

RS Stock No.: 2312689



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

The RS PRO female socket inox FKM.3/8 works in 0 to 16 bar pressure range. It mainly used in compressed air & tools, pneumatic & fluid technology, food & beverages applications. It provides high performance for multiple fluids in a wide range of temperature and pressure. Operating temperature range is from - 15 °C to + 200 °C. RoHS and REACH compliant.

## General Specifications


<b>Material</b>	Steel
<b>Applications</b>	Lubrication System, Cooling System, Pneumatic Machinery Equipment

## Mechanical Specifications

<b>Connection Type</b>	Threaded, Tube
<b>Tube Connection Size</b>	11.5
<b>Coupling Gender</b>	Female
<b>Threaded Connection</b>	3/8 in Female
<b>Thread Size</b>	3/8in
<b>Hose Barb Connection</b>	24
<b>Wrench Size<sup>1</sup></b>	21Hex
<b>Length L1</b>	52mm

## Similar Products

Parameters	2312688	2312690
Brand	RS PRO	RS PRO
Connection Type	Threaded, Tube	Threaded, Tube
Tube Connection Size	11mm	15mm
Coupling Gender	Female	Female
Threaded Connection	1/4 in Female	1/2 in Female
Thread Size	1/4in	1/2in
Hose Barb Connection	24mm	21mm
Wrench Size <sup>1</sup>	21Hex	24Hex
Length L1	51.5mm	56.5mm



# Pneumatic Quick Connect Couplings



A	B	C	D	CH	Pack.
3/8	11.5	52	24	21	2