Power Relays

multicomp PRO

	Coil Da Nominal V Coil Resis Operate V Release V Nominal P	′oltage tance ′oltage ′oltage	: 12, 24V DC : Refer to coil data chart : Refer to coil data chart : Refer to coil data chart : 450mW			
Contact Data						
Contact Form Contact Material Contact Rating Max. Switching Voltage Max. Switching Current Max. Switching Power Min. Switching Load Max. Contact Resistance	: 1 form A : Ag Alloy : 1A : 10A 125V AC, 5A 250V AC / 30V DC (Standard) : 250V AC / 300V DC : 10A : 1,250VA, 150W : 5V DC,100mA : 100mΩ (6V DC 1A)					
Life						
Electrical Mechanical	: 100,000 operations. : 10,000,000 operations.					
General Data						
Min. Insulation Resistance Dielectric Strength	: 1,000MΩ 500V DC : 1,000V AC, 1 min between open contacts 3,500V AC, 1 min between coil and contacts.					
Max. Operate Time Max. Release Time Operate Temperature	: 10ms : 5ms. : -30 to +85°C					
Shock Resistance						
Endurance Misoperation	: 1,000m/s ² : 100m/s ²					
Vibration Resistance						
Endurance Misoperation Humidity	: 10 to 55Hz, 1.5mm double amplitude. : 10 to 55Hz, 1.5mm double amplitude. : 35% to 95%RH, +40°C.					
Diagram	Wiring Diagrams	Mounting Hole La	yout			
			(a) <u>54</u> <u>64</u> <u>54</u>	Dimension		


Dimensions : Millimetres

multicomp PRO

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

Nominal Voltage V DC	Coil Resistance		Voltage DC	Release Voltage ≥ V DC	Coil Power	Part Number
V DC	Ω ±10%	А Туре	С Туре	2 0 00	mW	
12	320	8.4		1.2	450	MCHRS3-S-DC12V-A
24	1280	16.8		2.4		MCHRS3-S-DC24V-A

Characteristic Chart Data



Part Number Table

Description	Part Number		
Relay, Power, SPST, 12V DC Coil, 0.45W	MCHRS3-S-DC12V-A		
Relay, Power, SPST, 24V DC Coil, 0.45W	MCHRS3-S-DC24V-A		

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

