

FEATURES

- Metric threaded noninsulating spacers
- Nickel plated brass
- Hexagonal body
- M2 x M2 / M3 x M3 / M4 x M4
- 10pcs/Poly Bag
- RoHS ✓
- REACH ✓

RS PRO Hex Standoff Male/Female






RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description

- RS Pro non-insulating spacer made of nickel plated brass, has a hexagonal body.
 This spacer features M2 x M2 / M3 x M3 / M4 x M4 male/female metric threading on both the ends of spacer.
 - 10pcs/Poly Bag
 - RoHS ✓ REACH ✓

General Specifications



Specifications ±0.1mm

| RS No. | Material | Finish | P1+L | Н | D | P1 | P2 | L |
|---------|----------|---------------|------|---|----|------|----|----|
| 2240411 | Brass | Nickel Plated | 10 | | | M2 5 | 3 | 5 |
| 2240412 | | | 15 | | | | | 10 |
| 2240413 | | | 20 | 4 | M2 | | | 15 |
| 2240414 | | | 25 | | | | | 20 |
| 2240415 | | | 30 | | | | | 25 |
| 2240416 | | | 35 | | | | | 30 |

Hex Standoff



| RS No. | Material | Finish | P1+L | Н | D | P1 | P2 | L |
|---------|----------|---------------|------|-----|----|----|-----|----|
| 2240417 | Brass | Nickel Plated | 11 | | | | 3.5 | 5 |
| 2240419 | | | 16 | | | | | 10 |
| 2240420 | | | 21 | | | | | 15 |
| 2240421 | | | 26 | | | 6 | | 20 |
| 2240422 | | | 31 | 5.5 | M3 | | 6 | 25 |
| 2240423 | | | 36 | | | | | 30 |
| 2240425 | | | 41 | | | | | 35 |
| 2240426 | | | 46 | | | | | 40 |
| 2240427 | | | 51 | | | | | 45 |
| 2240428 | | | 56 | | | | | 50 |

| 2240432 | | | 13 | | | | 3.5 | 6 |
|---------|-------|---------------|----|---|----|---|-----|----|
| 2240433 | | | 17 | | | | 7 | 10 |
| 2240434 | | | 27 | | | | | 20 |
| 2240435 | Brass | Nickel Plated | 37 | 7 | M4 | 7 | | 30 |
| 2240436 | | | 47 | | | | 8 | 40 |
| 2240437 | | | 52 | | | | | 45 |
| 2240438 | | | 57 | | | | | 50 |