



# OFFERING INNOVATIVE SOLUTIONS IN WORKPLACE SAFETY



## SPILL CONTAINMENT

Drums Spill Pallet & IBC Containment


## PRODUCT CATALOGUE

Bio-Safety Supplies Pte Ltd is a Singapore-based Distributor & Wholesaler of Industrial Safety and Environmental Protection solutions for the Land, Marine & Shipping Industries. We have a team dedicated to providing the best quality products from around the world to meet our customer's requirements.

Our team of expertise with an understanding of day-to-day needs and expectations on the ground is an assurance of our commitment where only quality products and valued added services are delivered at all times.

Supplying quality products with international standards & compliance, we are here to ensure that your safety is never compromised by anything.

## OUR SECTORS



**SHIPS & VESSEL**



**CONTAINER OPERATOR**



**CONSTRUCTION**



**MANUFACTURING**



**OIL & GAS**



**HOSPITAL & LABORATORY**

## FEATURED BRANDS

**SPILLDOC® SAH-U®**

# SPILL CONTAINMENT

## DRUMS SPILL PALLET & IBC CONTAINMENT



It complies with the US Environmental Protection Agency (EPA) EPA 40 CFR 264.175 and SPCC specifications, and the US National Pollution Elimination and Discharge System (NPDES), and has passed the European Union CE certification.

### DRUM SPILL PALLET & IBC CONTAINMENT

Using a rotational molding process, one molding, these pallet has the characteristics of a sturdy structure, forklift operation, non-slip, and suitability. When leakage or spillage occurs during dispensing, all the leaked liquid will automatically flow into the tray or the platform along the tray or the platform grid. In the leakage area of the platform (leakage storage tank), it will not flow to the ground, corridors, or passages, polluting the on-site environment, causing occupational accidents such as wrestling and falling, and also preventing soil and water pollution. There is no need to worry about accidental splashing and leakage that may occur during the packaging or storage of hazardous chemicals.



## SPECIAL PRODUCT FEATURE



More room for leakage



Can be moved using a forklift or hydraulic trucks



Hand-held, portable grill



The grid plate can be easily separated



Threaded Drain



Back guide grooves facilitate rapid spillage

## PRODUCT PACKING

To facilitate transportation and reduce logistics costs, this product can be split and stacked to save more space.






This product is flexible in operation, and most of the products are suitable for mechanical forklifts and hydraulic trucks.

# 1 DRUM ROUND SPILL PALLET



**Model: DP001R**

## 1 Drum Round Spill Pallet

-  Removable plastic grid for easy clean-up
-  100% polyethylene for chemical compatability
-  UV Stabilised



## Product Features

- ✓ In the line with SPCC,EPA requirements
- ✓ Linear low density polyethylene (LLDPE) construction resists UV rays, rust, corrosion and chemicals
- ✓ Nestable design permits stacking when not in use; lowers cost of bulk shipping
- ✓ 2 Way forklift access to make handling and moving as easy as possible
- ✓ All-polyethylene construction will not rust or corrode
- ✓ The strongest standard pallet you can buy for everyday drum storage
- ✓ Strong enough for long-term storage of Drums liquids, this innovative design transfers weight to load-bearing channels to maximize capacity



Product Code	No Of Drums/ Containers	External Size (L x W x H)	Sump Capacity	UDL	Tare Weight	Colour	Drain Plug
DP001R	1 X 205L Drum	820 x 820 x 200mm	42L	500	5 KG	Yellow	No

# 1 DRUM SPILL CONTAINMENT PALLET



## Model: DP001 Single Drum Spill Pallet

Suitable for single oil drums or small chemical drums, paint drums, oil cans and other packaging leak-proof trays



## Product Features

1. The product is formed once and has a long service life.
2. The grid plate is stable and durable and can be quickly separated and used.
3. Pallets can be stacked helping to reduce floor space



## Technical Specifications

Load	No Of Drums/ Containers	External Size (L x W x H)	Sump Capacity	Static Load	Weight	Drain Plug
DP001	1 X 205L Drum	675 x 675 x 150 mm	43L / 11 Gal	400 kg	8 KG	Yes

# 2 DRUMS SPILL CONTAINMENT PALLET



## Model: DP002H Two Drums Spill Pallet

Suitable for two oil drums or chemical drums, mechanical equipment and other packaging leak-proof trays.



### Product Features

1. The product is formed once and has a long service life.
2. It could be freely matched with other types of pallets, and combined into a leak-proof platform, and the operation is more flexible.
3. This product could be moved by forklift or hydraulic truck.
4. Different holding leakage volumes could meet various operation requirements.
5. The grid plate is stable and durable and can be quickly separated and used
6. Pallets can be stacked helping to reduce floor space.



### Technical Specifications

Product Code	No Of Drums/ Containers	External Size (L x W x H)	Sump Capacity	Dynamic Load	Static Load	Weight	Drain Plug
DP002H	2 X 205L Drum	1300 x 690 x 300 mm	120L	600 kg	1200 kg	17 Kg	Yes

# 4 DRUMS SPILL CONTAINMENT PALLET



## Model: DP004H Four Drums Spill Pallet

Suitable for four oil drums or chemical drums, anti-leakage tray, and international standard type leak-proof container.



### Product Features

1. The product is formed once and has a long service life
2. It can be freely matched with other types of pallets, and combined into a leak-proof platform, and the operation is more flexible.
3. This product could be moved by forklift or hydraulic truck.
4. Different holding leakage volumes could meet various actual operation requirements.
5. The grid plate is stable and durable and can be quickly separated and used.




### Technical Specifications

Product Code	No Of Drums/ Containers	External Size (L x W x H)	Sump Capacity	Dynamic Load	Static Load	Weight	Drain Plug
DP004H	4 X 205L Drum	1300 x 1300 x 300 mm	260L / 69 Gal	1200 kg	2600 kg	32 Kg	Yes



# STEEL SPILL CONTAINMENT PALLET



SAI-U® steel spill pallet is specially used for storing, transporting and pack-aging oil drums.

The main body of the pallet is made of 3mm hot rolled steel plate, and the structure is firm and durable.

The surface coated with epoxy resin powder is very bright and very rust and moisture resistant. It has the advantages of light weight, high strength, wear resistance, aging resistance and so on.

At the bottom of the pallet, there is a standard 3/4 NPT ball valve, which simplify the transportation of the leakage liquid.

## Steel Drums Spill Pallet

Suitable for oil drums or chemical drums, anti-leakage tray, and international standard type leak-proof container.



### Technical Specifications

型号 Model	可放 200L 桶个数 Number of placed cylinders	外部尺寸 External Dimension (H*W*D/mm)	盛漏量 Leakage (Gal/L)	承重量 Loading weight(kgs.)	移动方式 Move Mode	叉车操作 Forklift operation
ST002	2	360*1250*700	48/180	2000	需叉车操作 Forklift	双向操作 Two-way
ST004	4	360*1250*1250	92/350	3500	需叉车操作 Forklift	双向操作 Four-way
ST302	2	1020*1250*700	48/180	1500	可移动 Movable	不适用 Not applicable

# SINGLE IBC CONTAINMENT PALLET 1100L



## Model: IBC090 IBC Deck (1100L / 290us gal)

Chemical spill in just about any setting is a very serious event that needs to be controlled with the right equipment. SPILLDOC has designed Spill Containment Deck and Pallets to withstand day-to-day use and long-term storage of the harshest chemicals.

Size	1600*1600*700 mm
Material	Modified LLDPE new material
Weight	102 Kg
Load	4000 Kg
Sump Capacity	1100L / 290 us gal
	Suitable For IBC Tank



Placed A IBC Tank




Break up the figure



Hydraulic vehicle turnover



The bucket type can be placed:



Method of placing a forklift



Motor forklift



685 Hydraulic car



550 Hydraulic car



## Product Features

- High height (70mm) for easy storage
- Load weight and hydraulic test
- Check enough observation clearance for loading & pump insertion.
- Compatible with most forklifts and pallet stackers, not pallet haulers
- Remove the capacity of the IBC and the top of the empty pallet support surface to 1100L before moving
- Comply with European and American regulations
- PE materials are fully recyclable, chemical-resistant and UV resistant
- Hold 1 wooden, steel pallet (1200\*1000 mm) IBC container
- It can be lifted by a forklift or a pallet when stacking

# SINGLE IBC CONTAINMENT PALLET 1300L

## Model: IBC030 IBC Deck (1300L / 343 US gal)

Chemical spill in just about any setting is a very serious event that needs to be controlled with the right equipment. SPILLDOC has designed Spill Containment Deck and Pallets to withstand day-to-day use and long-term storage of the harshest chemicals.



Size	1350*1350*900 mm
Material	Modified LLDPE new material
Weight	73 Kg
Load	3000 Kg
Sump Capacity	1300L / 343 us gal
	Suitable For IBC Tank



Placed A IBC Tank

Break up the figure

Hydraulic vehicle turnover



The bucket type can be placed:



Method of placing a forklift



Motor forklift



685 Hydraulic car



550 Hydraulic car



## Product Features

- High height (90mm) for easy storage
- Load weight and hydraulic test
- Check enough observation clearance for loading & pump insertion.
- Compatible with most forklifts and pallet stackers, not pallet haulers
- Remove the capacity of the IBC and the top of the empty pallet support surface to 1300L before moving
- Comply with European and American regulations
- PE materials are fully recyclable, chemical-resistant and UV resistant
- Hold 1 wooden, steel pallet (1200\*1000 mm) IBC container
- It can be lifted by a forklift or a pallet when stacking

# DOUBLE IBC CONTAINMENT PALLET 1100L

## Model: IBC020 IBC Deck (1100L / 290us gal)

Chemical spill in just about any setting is a very serious event that needs to be controlled with the right equipment. SPILLDOC has designed Spill Containment Deck and Pallets to withstand day-to-day use and long-term storage of the harshest chemicals.



Size	2200*1300*500 mm
Material	Modified LLDPE new material
Weight	92 Kg
Load	4000 Kg
Sump Capacity	1100L / 290 us gal
	Suitable For IBC Tank



Placed A IBC Tank



Break up the figure



Hydraulic vehicle turnover



The bucket type can be placed:



Method of placing a forklift



Motor forklift



685 Hydraulic car




550 Hydraulic car



## Product Features

- High height (50mm) for easy storage
- Load weight and hydraulic test
- Check enough observation clearance for loading & pump insertion.
- Compatible with most forklifts and pallet stackers, not pallet haulers
- Remove the capacity of the IBC and the top of the empty pallet support surface to 1100L before moving
- Comply with European and American regulations
- PE materials are fully recyclable, chemical-resistant and UV resistant
- Hold 1 wooden, steel pallet (1200\*1000 mm) IBC container
- It can be lifted by a forklift or a pallet when stacking

# SPILL PALLET RAMP



## Model: DPR300 Poly Spill Ramp

SPILLDOC supply of high quality spill control products, protect for the employees and environment. We have various models for your choice. CE certificate, Comply with (EPA) EPA 40 CFR 264.175 & SPCC standards (NPDES)

### Product Features

- Thicker side border and central load-bearing structure is very strong, which can firmly carry fully loaded oil drums, chemical barrels and other storage containers and equipment.
- Polyethylene material, anti-UV, anti-rust, anti-corrosion, suitable for most chemicals
- Orange anti-skid gratings, it will not rupture at full load, and the gratings are removable, easy for rapid treatment of liquid spill.
- Help to keeping the floor dry to avoid slip and fall
- Help to keep the environment clean, ensure orderly storage and leakage prevention of oil drums and chemical barrels.
- In line with the regulations of EPA 40 CFR 264.175 of the U.S. Environmental Protection Agency (EPA) and the regulations of Spill Prevention and Control Act (SPCC) as well as U.S. NPDES.



### Technical Specifications

Product Code	Compatible Pallet Use	External Size (L x W x H)	Material	Load Capacity	Weight
DPR300	300mmH Spill Pallets	1200 x 800 x 300 mm	Polyethylene Construction	454 Kg	21 Kg



# **BIO-SAFETY SUPPLIES**®

Industrial Safety & Environmental Protection

## **Singapore (HQ)**

Bio-Safety Supplies Pte Ltd  
126 Joo Seng Road #03-11  
Gold Pine Industrial Building  
Singapore 368355

### **Contact Details**

[sales@biosafetysupplies.com](mailto:sales@biosafetysupplies.com)  
+65 96673290

### **Website**

[www.biosafetysupplies.com](http://www.biosafetysupplies.com)

## **Perth, West Australia**

Bio-Safety Supplies Pty Ltd  
9 Redcliffe St  
East Cannington  
WA 6017

### **Contact Details**

[sales@biosafetysupplies.com.au](mailto:sales@biosafetysupplies.com.au)  
+61 424944258

### **Website**

[www.biosafetysupplies.com.au](http://www.biosafetysupplies.com.au)

## **British Columbia, Canada**

BSS Industrial Safety  
2785 Commercial Drive, #9940,  
Vancouver British Columbia  
V5L4V1, Canada

### **Contact Details**

[sales@biosafetysupplies.ca](mailto:sales@biosafetysupplies.ca)  
+1 (437) 242 2905

### **Website**

[www.biosafetysupplies.ca](http://www.biosafetysupplies.ca)