rs pro

FEATURES

- Suitable for use in making connection to printed circuit boards through 6-3 mm push-on receptacles
- Terminal material hot tin dipped brass
- Fixing hole for 45° blade M5
- Suitable for vertical and horizontal blades, fixing holes 1.5 mm dia
- First hole to be 5.5 mm from edge of board

RS PRO Silver Uninsulated Spade Connector, 0.8 x 6.4mm Tab Size

RS Stock No.: 534-929



RS PRO Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description

RS PRO solder tab terminal adapter allows connection between wire terminals and PCB board through female receptacles. It measures 0,8 x 6.4 mm. This uninsulated PCB tab or PCB blade adapter in right angled shape, has 6.3 or 6.4 mm tab size and are tin plated.

General Specifications

| Insulation | Uninsulated |
|--------------------|--|
| Orientation | Right Angle |
| Connector Type | Tab |
| Termination Method | Solder |
| Contact Plating | Tin |
| Contact Material | Brass |
| Colour | Silver |
| Applications | solder tab terminal adapter allows connection between wire terminals and PCB board through female receptacles. |

Mechanical Specifications

| Tab Size | 0.8 mm x 6.4mm |
|----------------|----------------|
| Tab Thickness | 0.8mm |
| Tab Width | 6.4mm |
| Overall Length | 17.8mm |

Approvals

| Compliance/Certifications | EN61340 |
|---------------------------|---------|

Spade Connectors





