

## FEATURES

- UL approved Nylon 66, 94V-0.
- Color : White (standard), black color available.
- Feature : 94V-0 Flame Retardant
- Use to bundle wires, cables, wrapping and get gardening neat and tidy.
- Easy to thread.

## RS PRO Flame Retardant Cable Ties

RS Stock No.: 2243149



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

### ATTRIBUTE 1

- Material: UL approved Nylon 66, 94V-0, with good tensile strength and insulation, not easy to get aging.
- Color: Color : White (standard), black color available
- Feature: **94V-0** Flame Retardant
- Insert tie into the lock of head and pull out easily to bundle it.

## General Specifications

<b>Series</b>	Flame Retardant Cable Tie
<b>Type</b>	Non-Releasable
<b>Colour</b>	White
<b>Material</b>	UL approved Nylon 66, <b>94V-0</b>
<b>Finish</b>	
<b>Application</b>	
<b>Resistant To</b>	
<b>UV Resistant</b>	No
<b>Minimum Operating Temperature</b>	-40°C
<b>Maximum Operating Temperature</b>	85°C
<b>Fire Behaviour</b>	Self-Extinguishing
<b>Quantity</b>	100

## Mechanical Specifications

<b>Length</b>	368mm(14 1/2")
<b>Width</b>	4.8mm
<b>Tensile Strength</b>	50lbs/22kgs
<b>Max. Bundle Dia.</b>	105mm
<b>Thickness</b>	1.5±0.25mm

## Protection Category

IP Rating

## Classification

eCl@ss (10.0.1)

UNSPSC (6.01)

## Approvals

Declarations

Standards Met

UL, RoHS, SVHC, HF

## Similar Products

Stock No.	Brand	Product Name	Colour	Material	Tensile strength
389-864	RS PRO	Flame Retardant Cable Tie	White	Nylon 66	18lbs/8kg
389-870	RS PRO	Flame Retardant Cable Tie	White	Nylon 66	50lbs/22kg

