

FEATURES

- Single handed operation
- Light and compact
- Safety version
- Silicon free

RS PRO FEMALE PLUG - ITALIAN - 5 mm

RS Stock No.: 2312509



RS PROfessionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the

leading brands without paying a premium price.

Pneumatic Quick Connect Couplings



Product Description

The RS PRO female plug- italian-5 mm works in 0 to 16 bar pressure range. It mainly used in compressed air & tools, pneumatic & fluid technology, food & beverages. It is available in nickel-plated brass. Used for compressed air and for moulding injection cooling system. RoHS and REACH compliant. Operating temperature range is from - 20 °C to + 80 °C.

General Specifications

Material	Nickel Plated Brass	
Applications	Lubrication System, Cooling System, Pneumatic	
	Machinery Equipment	

Mechanical Specifications

Connection Type	Threaded, Tube		
Tube Connection Size	14mm		
Coupling Gender	Female		
Threaded Connection	1/2 in Female		
Thread Size	1/2in		
Wrench Size	24Hex		
Length	41mm		


Pneumatic Quick Connect Couplings



Similar Products

Parameters	2312508	2312507	
Brand	RS PRO	RS PRO	
Connection Type	Tube	Tube	
Thread Size	3/8in	1/4in	
Tube Connection Size	11.5mm	11mm	
Length	38.5mm	38mm	
Wrench Size	19	17	





А	В	C	СН	Pack.
1/2	14	41	24	10