

SAFETY DATA SHEET

Version 8.7
Revision Date 09.08.2023
Print Date 10.08.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Potassium iodate volumetric standard,
secondary reference material for iodometry,
traceable to NIST SRM Certipur®

Product Number : 1.02404
Catalogue No. : 102404
Brand : Millipore
CAS-No. : 7758-05-6

1.2 Other means of identification

No data available

1.3 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

1.4 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Pte Ltd
(Co. Registration No. 199403788W)
2 Science Park Drive
#05-01/12 Ascent Building
SINGAPORE 118222
SINGAPORE

Telephone : +65 6890 6633
Fax : +65 6890 6639
E-mail address : TechnicalService@merckgroup.com

1.5 Emergency telephone

Emergency Phone # : 1-800-262-8200

SECTION 2: Hazards identification

2.1 GHS Classification

Oxidizing solids (Category 2), H272
Acute toxicity, Oral (Category 4), H302
Serious eye damage/eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word	Danger
Hazard statement(s)	
H272	May intensify fire; oxidizer.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
Precautionary statement(s)	
Prevention	
P210	Keep away from heat.
P220	Keep/Store away from clothing/ combustible materials.
P221	Take any precaution to avoid mixing with combustibles.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/ eye protection/ face protection.
Response	
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Disposal	
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards - none

SECTION 3: Composition/information on ingredients

Substance / Mixture : Substance

3.1 Substances

Formula : KIO3
Molecular weight : 214 g/mol
CAS-No. : 7758-05-6
EC-No. : 231-831-9

Hazardous ingredients

Component	Classification	Concentration
Potassium iodate		
	Ox. Sol. 2; Acute Tox. 4; Eye Dam./Irrit. 2A; H272, H302, H319	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Hydrogen iodide

Potassium oxides

Not combustible.

Fire may cause evolution of:

hydrogen iodide

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Do not store near combustible materials.

Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.3 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please

contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|---|----------------------------------|
| a) Physical state | crystalline |
| b) Color | white |
| c) Odor | odorless |
| d) Melting point/freezing point | Melting point: 560 °C at 975 hPa |
| e) Initial boiling point and boiling range | Not applicable |
| f) Flammability (solid, gas) | The product is not flammable. |
| g) Upper/lower flammability or explosive limits | No data available |
| h) Flash point | does not flash |
| i) Autoignition | does not ignite |

Millipore- 1.02404

Page 5 of 10

The life science business of Merck operates as MilliporeSigma in the US and Canada



	temperature	
j)	Decomposition temperature	> 560 °C
k)	pH	ca.6 at 50 g/l at 20 °C
l)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	70 g/l at 25 °C
n)	Partition coefficient: n-octanol/water	log Pow: -1 at 25 °C - Bioaccumulation is not expected.
o)	Vapor pressure	No data available
p)	Density	3.98 g/cm ³ at 20 °C
	Relative density	No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	The substance or mixture is classified as oxidizing with the category 2.

9.2 Other safety information

Bulk density	ca.2,000 kg/m ³
Dissociation constant	0.05

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with:
oxidisable substances
combustible substances
Powdered metals
Sulfides
phosphorus
sulfur
Alkali metals
hydrides
Cyanides
arsenic
carbon/soot

Millipore- 1.02404

Page 6 of 10

The life science business of Merck operates as MilliporeSigma in the US and Canada

Alkaline earth metals
powdered aluminium
metallic oxides
Isocyanates
Reducing agents
Exothermic reaction with:
Organic Substances

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 500.1 mg/kg

(Expert judgment)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Symptoms: Possible damages: , mucosal irritations

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - In vitro study

Result: Irritating to eyes. - 2 - 12 h

Respiratory or skin sensitization

Sensitisation possible in predisposed persons.

Germ cell mutagenicity

Test Type: Ames test

Result: negative

Remarks: (Lit.)

Test Type: Mutagenicity (mammal cell test): micronucleus.

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 487

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Millipore- 1.02404

Page 7 of 10

The life science business of Merck operates as MilliporeSigma in the US and Canada



Test Type: In vivo micronucleus test

Result: negative

Remarks: (Lit.)

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Nausea, Vomiting, Diarrhea, Rash

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

Stomach/intestinal disorders

collapse

respiratory arrest

Cyanosis

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)

Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) semi-static test NOEC - Daphnia magna (Water flea) - 14 mg/l - 21 d (OECD Test Guideline 211)
Remarks: The value is given in analogy to the following substances: sodium fluoride

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1479

IMDG: 1479

IATA-DGR: 1479

14.2 UN proper shipping name

ADR/RID: OXIDIZING SOLID, N.O.S. (Potassium iodate)

IMDG: OXIDIZING SOLID, N.O.S. (Potassium iodate)

IATA-DGR: Oxidizing solid, n.o.s. (Potassium iodate)

14.3 Transport hazard class(es)

ADR/RID: 5.1

IMDG: 5.1

IATA-DGR: 5.1

14.4 Packaging group

ADR/RID: II

IMDG: II

IATA-DGR: II

14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA-DGR: no

14.6 Special precautions for user

None

14.7 Incompatible materials

Other regulations

Hazchem Code : 1Y

Millipore- 1.02404

Page 9 of 10

The life science business of Merck operates as MilliporeSigma in the US and Canada



SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

No data available

SECTION 16: Other information**-Full text of H-Statements referred to under sections 2 and 3.**

H272	May intensify fire; oxidizer.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.