

FEATURES

- Temperature range 0°C to +700°C
- Good temperature resistance (not suitable in fluids)
- Standard plug termination
- Thermocouple to ANSI MC96.1

ANSI TYPE K HIGH TEMPERATURE GLASSFIBRE TWIN TWISTED EXPOSED WELDED TIP THERMOCOUPLES 1/0.711mm WITH STANDARD PLUG TERMINATION 2m

RS Stock No.: 2318492



Thermocouples



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

Ideal for test & development applications, Good temperature resistance (not suitable in fluids).

General Specifications

| Thermocouple Type | Туре К | | |
|-------------------------------|---|--|--|
| Temperature Measurement Range | 0°C to +700°C | | |
| Construction | Fast response, welded exposed junction | | |
| Measuring Junction | Exposed | | |
| Standards Met | ANSI MC96.1 | | |
| Application | Ideal for test & development applications | | |

Mechanical Specifications

| Termination Type | Standard Plug |
|------------------|-------------------------------|
| Cable Length | 2m |
| Cable Insulation | Glassfibre 1/0.711mm (21 AWG) |

Approvals

| Compliance/Certifications | RoHS Compliant |
|---------------------------|----------------|

Similar Products Range

| Туре | 1m | 2m | 3m | 5m | 10m | 20m |
|------|---------|---------|---------|----------|----------|----------|
| К | 2318491 | 2318492 | 2318493 | 131-4749 | 131-4750 | 131-4751 |



RS Components is a leading provider for Automation and Control Gear, below is a selection of best selling products:



Thermocouples





RS Components is a leading provider for Automation and Control Gear, below is a selection of best selling products:



www.alliedelec.com

Thermocouples



