

FEATURES

- UL approved Nylon 66, 94V-2
- Color: Natural, other special colors are available upon request.
- Feature: Low Smoke and Halogen Free cable tie suitable for various industry, also household DIY and gardening.
- Max. operating temperature up to 85°C.
- Application: One piece self-lock cable tie save the time and make effective for installation.
- Easy to thread.

RS PRO Cable Ties Assortment

RS Stock No.: 220-6253



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

- Material: UL approved Nylon 66 , 94V-2.
- Color: Natural, other special colors are available upon request.
- Feature: Low Smoke and Halogen Free cable tie suitable for various industry, also household DIY and gardening.
- Max. operating temperature up to 85°C
- Application: One piece self-lock cable tie save the time and make effective for installation.

General Specifications

Series	CABLE TIE ASSORTMENT
Type	Non-Releasable
Colour	Natural
Material	Nylon 66
Finish	
Application	
Resistant To	
UV Resistant	NO
Minimum Operating Temperature	-40°C
Maximum Operating Temperature	85°C
Fire Behaviour	Self-Extinguishing
Quantity	2500PCS/CTN

Mechanical Specifications

		Unit:mm						
	Contents	Length		Width W	Max. Bundle Dia.	Min Loop Tensile Strength		Packing
		mm	inch			lbs	kgs	
		177-9482	178-462	100		4"	2.5	
178-478	150		6"	3.6	36	40	18	600PCS
489-2140	203		8"	4.6	52	50	22	600PCS
	280		11"	4.8	77	50	22	400PCS
811-1707	385		15 3/16"	4.8	110	50	22	300PCS

Approvals

Declarations	
Standards Met	UL, RoHS, SVHC, DNV.GL, Lloyd's, CE, VDE, ABS, HF

Similar Products

Stock No.	Brand	Product Name	Colour	Material	Tensile strength
233-124	RS PRO	CABLE TIE ASSORTMENT		Nylon 66	
233-130	RS PRO	CABLE TIE ASSORTMENT		Nylon 66	

