



K 4 Silent

Whisper-quiet K 4 Silent Edition, maximum 81 dB(A), featuring PremiumFlex hose with anti-twist system to prevent kinks and loops as well as elastic storage strap with clip-in function for hose and electrical cable.



1 Innovative silent function

- 50 % reduction in perceived noise level compared to conventional devices in the same performance class.

3 Elastic storage strap

- With practical clip-in function for convenient storage of the pressure hose and electrical cable.

2 PremiumFlex hose with anti-twist system

- Easy winding and unwinding of hose without tangling.
- The PVC-free material and special construction of the PremiumFlex hose ensure the necessary flexibility.

4 Vario Power spray lance

- Continuously variable switching from high to low pressure. Ideal for sensitive surfaces.



K 4 Silent

- Very quiet (max. 81 dB (A))
- Elastic storage strap with clip-in function
- Small and robust thanks to aluminium telescopic handle and compact design

Technical data

Order no.	1.637-350.0	
EAN code	4054278046051	
Pressure	bar / MPa	20-130 / 2-13
Flow rate	l/h	420
Max. inlet temperature	°C	40
Connection load	kW	1.8
Weight without accessories	kg	11.2
Dimensions (L × W × H)	mm	516 × 295 × 294
Power supply	V / Hz	230 / 50

Equipment

High-pressure gun	Standard Quick Connect	
Vario Power Jet	■	
Dirt blaster	■	
High-pressure hose	m	6 / PremiumFlex with anti-twist system
Quick Connect on the side of the device	■	
Detergent application via	Suction	
Telescopic handle	■	
Water-cooled motor	■	
Elastic storage strap	■	
Integrated water filter	■	
A3/4" garden hose connector adapter	■	

■ Included in the scope of supply.

ACCESSORIES FOR K 4 SILENT

1.637-350.0

KÄRCHER


		Order no.						Price	Description	
Spray lances										
VP 145 vario power jet Full Control for K 4-K 5	1	2.642-725.0							Vario power spray lance for pressure washers in classes K 4 to K 5. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance.	■
DB 145 dirt blaster Full Control for K 4-K 5	2	2.642-728.0							Dirt blaster with powerful middle rotary nozzle for Kärcher pressure washers in classes K 4 and K 5. For particularly stubborn dirt like that on mossy or weathered surfaces.	■
Splash guard	3	2.642-706.0							Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	□
Angled spray lance	4	2.638-817.0							Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle under-bodies.	□
1-step lance extension	5	2.643-240.0							Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	□
VP 180 S vario power jet short 360° for K 2-K 7	6	2.643-254.0							VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	□
Splash guard	7	2.640-916.0							Splash guard for dirt blasterProtects against splash back when cleaning corners and edges. Fits all Kärcher dirt blasters (except 4.763-184).	□
VP 145, Vario Power Jet for K 3-K 4	8	2.643-235.0							Vario-Power spray lance: spray lance with infinitely variable pressure control from low-pressure detergent jet to high-pressure jet.	□
DB 145, Dirt Blaster for K 2-K 4	9	2.643-244.0							Dirt blaster with powerful rotor nozzle (rotating pencil jet) ideal for removing stubborn dirt. Ideal for moss covered or weathered surfaces.	□
Telescopic spray lance	10	2.642-347.0							Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	□
MP 145 multi power jet for K 3-K 5	11	2.643-239.0							Multi power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure fan jet. The suitable jet can be selected by simply twisting.	□
Vario Power Jet Short 360° VP 145 S for K 2 - K 4	12	2.643-253.0							VP 145 S: The Vario Power Jet Short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	□
Miscellaneous										
G 180 Q trigger gun Quick Connect	13	2.642-889.0							The new G 180 Q spray gun with Quick Connect is 13 cm longer and is now even more convenient to use and more ergonomic when cleaning with Kärcher pressure washers.	■
Water filter	14	4.730-059.0							Water filter protects pressure washer pumps against dirt particles from dirty water.	□
O-ring set	15	2.640-729.0							Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	□
Garden hose adapter	16	2.640-732.0							Adapter for garden hose connection - suitable for attaching all Kärcher brushes to garden hoses with the quick-coupling system.	□
Surface cleaners										
PS 40 power scrubber surface cleaner	17	2.643-245.0							PS 40 power scrubber with three integrated high-pressure nozzles. Powerful cleaning action removes stubborn dirt from surfaces quickly and easily. Ideal for stairs and edges.	□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR K 4 SILENT 1.637-350.0

KÄRCHER


		Order no.						Price	Description	
T 450 T-Racer surface cleaner	18	2.643-214.0							Cleans large surfaces without splashing: T-Racer surface cleaner T 450. Extra power nozzle for corners and edges, handle for vertical cleaning, protection grid for gravel surfaces, cleaning pressure adjustment.	<input type="checkbox"/>
T 350 T-Racer surface cleaner	19	2.643-252.0							With the T-Racer surface cleaner T 350, large surfaces can be cleaned without splashing. Continuous pressure adjustment for hard and sensitive surfaces. Handle for vertical cleaning.	<input type="checkbox"/>
Replacement nozzles accessories	20	2.643-338.0							High-quality replacement nozzles for all T-Racer surface cleaners (except T 350) for unit classes K 2 to K 7, gutter cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for K 2 to K 5.	<input type="checkbox"/>
Replacement nozzles accessories for T 350	21	2.643-335.0							The high-quality replacement nozzles guarantee easy replacement of nozzles and are suitable for the T-Racer T 300 / T 350 surface cleaners for the pressure washer unit classes K 2 to K 7.	<input type="checkbox"/>
T 550 T-Racer surface cleaner	22	2.643-251.0							T-Racer surface cleaner T 550 for splash-free cleaning of large surfaces. With detergent application system, power nozzle for corners/edges, protection grid for gravel surfaces, pressure adjustment and handle.	<input type="checkbox"/>
Brushes										
WB 150 power brush	23	2.643-237.0							WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	<input type="checkbox"/>
WB 60 soft surface wash brush	24	2.643-233.0							Soft brush for cleaning large areas, e.g. cars, caravans, boats, conservatories or roller shutters). Working width of 248 mm ensures good coverage.	<input type="checkbox"/>
Wheel washing brush	25	2.643-234.0							Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	<input type="checkbox"/>
WB 100 rotating wash brush	26	2.643-236.0							Rotating wash brush with joint for cleaning all smooth surfaces, e.g. paint, glass or plastic. 18° infinitely adjustable joint on handle for cleaning difficult to reach areas.	<input type="checkbox"/>
Soft Wash Brush WB 50	27	2.643-246.0							Universal soft brush for cleaning all types of surfaces. With soft brushes, outer protector ring, union nut and rubber pad.	<input type="checkbox"/>
WB 120 Rotating Wash Brush	28	2.644-060.0								<input type="checkbox"/>
High-pressure replacement hose: With anti-twist system and Quick Connect system										
H 10 Q Flex PremiumFlex anti twist	29	2.643-585.0							Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in the K 4 to K 7 ranges.	<input type="checkbox"/>
High-Pressure replacement hose kit system from 1992										
Adapter set extension hose	30	2.643-037.0							Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	<input type="checkbox"/>
High-pressure extension hose: System from 2008 onwards for devices with Quick Connect system										
XH 10 Q extension hose Quick Connect	31	2.641-710.0							High-pressure extension hose for greater flexibility. 10 m robust DN 8 quality hose for durability. For K 3 to K 7 devices manufactured since 2008 with Quick Connect adaptor. Connect between spray gun and high-pressure hose.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR K 4 SILENT

1.637-350.0

KÄRCHER


		Order no.						Price	Description	
XH 6 Q extension hose Quick Connect	32	2.641-709.0							High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 3 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	<input type="checkbox"/>
XH 10 QR extension hose Quick Connect rubber	33	2.641-708.0							High-pressure extension rubber hose for greater flexibility. 10 m high-quality hose, steel reinforced for durability. For K 3 to K 7 series from 2008 with Quick Connect adapter. Connect between trigger gun and high-pressure hose.	<input type="checkbox"/>
Special applications										
FJ 6 foam jet	34	2.643-147.0							FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	<input type="checkbox"/>
PC 15 pipe cleaning kit	35	2.637-767.0							Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
PC 7.5 pipe cleaning kit	36	2.637-729.0							Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
Vario joint	37	2.640-733.0							Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	<input type="checkbox"/>
Organiser	38	2.641-630.0							Kärcher organiser, the practical wall-mounted storage system for Kärcher accessories. With two modules for flexible mounting. Ideal for protecting wash brushes and bristles from bending.	<input type="checkbox"/>
SH 5 suction hose	39	2.643-100.0							Environmentally friendly 5 m long suction hose for sucking up water from alternative sources such as water butts or water containers.	<input type="checkbox"/>
FJ 10 C foam jet Connect 'n' Clean with ultra foam cleaner 3-in-1	40	2.643-143.0							Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	41	2.643-144.0							Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
PC 20 roof gutter and pipe cleaning kit	42	2.642-240.0							The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	<input type="checkbox"/>
Sand and wet-blasting kit	43	2.638-792.0							Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	<input type="checkbox"/>
FJ 10 C foam jet Connect 'n' Clean with stone cleaner 3-in-1	44	2.643-145.0							Stone cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
High-pressure replacement hose: system from 2009 with Quick Connect system										
H 9 Q high-pressure hose Quick Connect	45	2.641-721.0							9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR K 4 SILENT 1.637-350.0

KÄRCHER


		Order no.					Price	Description	
Hose connection systems									
Universal hose coupling Plus	1	2.645-193.0						Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal hose coupling Plus with Aqua Stop	2	2.645-194.0						Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal Hose Connector with Aqua Stop	3	2.645-192.0						Universal hose coupling with Aqua Stop. Ergonomic design for convenient handling.	<input type="checkbox"/>
Universal Hose Connector	4	2.645-191.0						Ergonomically designed universal hose coupling for convenient handling.	<input type="checkbox"/>
Hoses									
Hose set for pressure washers	5	2.645-156.0						Hose set for high-pressure cleaning or garden watering. With 10 m PrimoFlex® hose (3/4"), G3/4 tap adaptor, 1 x universal hose connector and universal connector with Aqua Stop.	<input type="checkbox"/>
Water supply hose set	6	2.645-258.0						Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex® hose (1/2"), hose connector with and without Aqua Stop, and universal connection for non-threaded taps.	<input type="checkbox"/>
PrimoFlex® hose - 1/2" 20 m	7	2.645-138.0						The PrimoFlex® (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.	<input type="checkbox"/>
PrimoFlex® hose 3/4" - 25 m	8	2.645-142.0						PrimoFlex® quality garden hose (3/4"). 25-m long. With pressure-resistant reinforcement mesh. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	<input type="checkbox"/>
Hose storage and hose trolley									
Premium Hose Reel HR 7.315 Kit 5/8"	9	2.645-165.0						Watering Station for the practical and space-saving stowage of hoses and garden accessories. With removable drum, storage possibility for nozzles, spray guns, and spray lances and spacious storage box. Fully equipped.	<input type="checkbox"/>
Hose Trolley HT 3.420 Kit 5/8"	10	2.645-167.0						Compact hose trolley with height adjustable handle, angled hose connector, free-wheeling crank, and innovative folding function for space-saving stowage. Fully assembled.	<input type="checkbox"/>
Premium Hose Reel HR 7.315 Kit 1/2"	11	2.645-164.0						Watering Station for the practical and space-saving stowage of hoses and garden accessories. With removable drum, storage possibility for nozzles, spray guns, and spray lances and spacious storage box. Fully equipped.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.